




technological development Systems

CATALOG 2024



THERMOCONTACTS • TEMPERATURE SENDING UNITS

www.tds-spa.it




To find the original items or TDS items of the spare parts, click on Adobe Acrobat's "Find" and write the code in this window

example original code

4022865


or TDS code

F13002



F15001




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	22	115°C	

	SUITABLE	FIAT	LANCIA	ZASTAVA
FIAT	4141538	Argenta 1,6. 2,0. 2,0 i.e. 83->86	Beta ->82	45 87->
	4163888	Fiorino 79->	Delta 79->86	
	4169122	Panda 45 ->86	Prisma 79->86	
	4185217	Panda 750 Young 87->	Trevi 79->85	
	4189508	Panda D 86->89		
	4334613	Punto 93->		
	4414779	Regata 75->90		
	7588920	Ritmo 75->90		
SEAT	FC95260001	Tipo 88->	SEAT	
	FC95260002	Uno 83->	Marbella 87->94	
	SE141947000A	124 ->76	Panda 80->87	
ZASTAVA	01450292	124 D. Sport. Spyder 78->83	Terra 903cc 87->94	
		126 75->91	124 68->80	
		127 71->81	127 72->81	
		128 69->86	131 - 132 73->84	
		238E - 242E 76->		

F15001A




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	22	125°C	

SUITABLE

APPLICAZIONE SPECIALE

F15001SL





Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	135°C	

SUITABLE

LOMBARDINI ED00674R0040

F15003



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	27	113°C	

SUITABLE


ALFA ROMEO 60521595
116080725600

ALFA ROMEO

Alfa 75 1,6 . 1,8 . 2,0 **85->**
Alfetta **75->85**
Giulietta **78->86**
Spyder **87->93**

F15005




Threading	Wrench	Pressure - Temperature	
Cylindrical M18x1,5	24	120°C	

SUITABLE
FIAT 82381579

LANCIA
 Delta 1,5 **86->92**
 Prisma 1,3 . 1,5 **86->92**

F15006




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	22	117°C	

SUITABLE		FIAT	
FIAT	5984452	2000 Spyder S	80->86

F15010




Threading	Wrench	Pressure - Temperature	
Cylindrical M18x1,5	22	93°C	

SUITABLE		PEUGEOT	
PEUGEOT	0242.24	304 D	76->80
		404 D	62->75
		504 D	68->79
		J 9 D	86->91

F15012




Threading	Wrench	Pressure - Temperature	
Cylindrical M18x1,5	22	112°C	

SUITABLE		RENAULT	
RENAULT	0855268000	Fuego turbo 1565 cc.	83->86
	7700566087	R4	67->92
	7700641336	R5	72->85
	7701349101	R6	75->83
	7702003715	R7. TL. GTL	74->84
	7702007741	R12 L. TL. GTL. 1289 cc.	69->81
	7702040367	R16 1470 cc. . 1565 cc.	65->70
		R18 L. TL. GTL. 1397 cc.	78->82
		Rodeo	75->

F15013




Threading	Wrench	Pressure - Temperature	
Cylindrical M18x1,5	22	115°C	

SUITABLE		RENAULT	VOLVO
RENAULT	7700712924 VOLVO 32674574	R18 Turbo 2 1565 cc. 85->87	66 75->79

F15020




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	17	115°C	

SUITABLE		PEUGEOT	RENAULT	
PEUGEOT	0242.32	604 V6 2,7	75->86	Express 956.1108.1397 85->87
RENAULT	7700704046			Express D 1565 cc 85->87
				Master T 30 . T 35 81->86
				Trafic 1397 cc 83->86
				R9 1397 cc 81->88
				R11 1,4 . 1,4 turbo 83->86
				R11 TD . GTD . TDE 84->86
				R18 L . TL . GTL 1397 cc 82->84

F15021




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	17	105°C	

SUITABLE		CITROEN		PEUGEOT		TALBOT	
CITROEN	95495591	BX 15. 16. 19. 19D.19TD	83->93	205 1,6 GTI	84->93	Horizon 1,9 D	82->86
	95579683	C 15 D 1769 cc	84->89	205 D	83->87	Solara D	80->84
FORD	1645282	C 25 D 1905 cc	88->93	305 1,6 GT. 1,9 GTX	83->88		
PEUGEOT	0242.30	Visa 1,6 GTI - Visa D	84->89	309	86->93		
	0242.39			405 D. TD	88->93		
	0242.43			504 V6. Cabriolet. Coupé	74->82		
	9150094680			505 GTI. STI. Injection	84->91		
TALBOT	9557968380			505 GLD. GRD. SRD	87->91		
		Sierra 2,3 D	86->88	604 V6 2,7	75->86		

F15022




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	17	110°C	

SUITABLE		CITROEN		PEUGEOT		TALBOT	
CITROEN	91519272	AX	87->90	205	83->93	Horizon GLS . Automatic 82->86	
	95495592	BX 14 1360 cc	86->91	309 1,6 . 1,9 . 1,9 GTI	86->93		
	95579684	BX 16 . BX 19 . 19 GTI 16V	86->93	405	87->93		
FORD	6198827	BX 4x4 . BX D . BX 17 D	86->93	405 1,4i . 1,6i	93->		
PEUGEOT	0242.26	BX 19 D . TD	83->93	405 D . TD	93->		
	0242.49	C 15 E	87->94	505	79->91		
TALBOT	9151927280	C 15 D 1,1i . 1,4i	95->	604 V6 2,7	75->86		
		C 15 D 1769 cc	90->				

F15027




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	16	110°C	

SUITABLE		PEUGEOT	
PEUGEOT	0242.51	305 1,1. 1,3. 1,4	77->87->

F15031



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	110°C	

SUITABLE


MERCEDES

MERCEDES 0065453724

190 E 2,0i . 2,3i	90->93
190 D 2,5	85->88
250 D . TD	87->93
300 E 190 cv.	90->93
300 SL . SEL	90->93

F15032




Threading	Wrench	Pressure - Temperature	
Cylindrical M8x1,25	22	85°C	

SUITABLE		FIAT		LANCIA	
FIAT	7580387	Panda 1000	91->	Y10 Turbo . 1,0 . 1,0 ie	85->88
		Uno 45 1,0	89->92	Y10 1,0 cat.	89->92
				Y10 1,05 . 1,3 ie	85->88

F15034




Threading	Wrench	Pressure - Temperature	
Cylindrical M8x1,25	22	35°C	

SUITABLE	
FIAT	7590068 7609084

FIAT	
Uno Turbo ie	85->88

F15035




Threading	Wrench	Pressure - Temperature	
Cylindrical M8x1,25	22	75°C	

SUITABLE	FIAT	LANCIA
FIAT 7588881	Tempra 1,4 . 1,6 90->93	Prisma 1,6.1,6ie.2,0ie.4x 486->89

F15036




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	17	115°C	

SUITABLE		RENAULT	
RENAULT	7700768589	F40	85->86
		5 1,0 . 1,1 . 1,4	85->86
		5 1,4 turbo	85->86
		5 1,6 D	85->86

F15038




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	19	125°C	

SUITABLE		RENAULT	
RENAULT	7700786459	Super 5 GTX	88->90
	7700786472	Super 5 1,6 D	88->90
		R19 1,4 TS	89->92
		R21 TS.TL	86->94
		R21 TX	87->91
		Express 1,6D	88->
		Express 1,9D	91->

F15039




Threading	Wrench	Pressure - Temperature	
Cylindrical M18x1,5	22	70°C	

SUITABLE		RENAULT		VOLVO	
RENAULT	7700073757	Super 5 GTX	87->90	440	88->
	7700737576	Super 5 D	87->90	460	90->
		R9 GTX.TXE	84->88	480	86->
VOLVO	33437252	R11 TX.GTX.TXE	84->88		
		R11 Renix AEI	87->88		
		R21	87->94		
		R21 TX.GTX.TXE	87->91		
		Medaillon	88->		

F15043




Threading	Wrench	Pressure - Temperature	
Cylindrical M8x1,25	21	60°C	

SUITABLE
FIAT 7589357

LANCIA
 Prisma 1,6. ie . 4WD **85->89**

F15044C




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	110°C	

SUITABLE

APPLICAZIONE SPECIALE

F15049S




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	19	110°C	

SUITABLE

APPLICAZIONE SPECIALE

F15050




Threading	Wrench	Pressure - Temperature	
Cylindrical M18x1,5	22	105	

SUITABLE		CITROEN		PEUGEOT		RENAULT	
CITROEN	7910013785 7910014017	C15 LNA 11 RE Visa 11. GT	84-> 82->84 79->88	104 all models 305 all models 504 1,8 . 2,0 504 D 505 1,8 . 2,0 .2,0i 505 Turbo . 2,5 TD 604 D . TD	72->85 77->83 68->82 82->83 79->86 79->86 84->87	14 TL . TS	77->83
PEUGEOT	0242.18 0242.36						
RENAULT	7701348772						

F15054




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	20	50°C	

SUITABLE	CITROEN	PEUGEOT
VIOLET RING	XM 2,0 lny.	89-> 605 2,0i SLI.SRI.SVI 90->
CITROEN 96019448		605 2,1 SLD . SRD 90->
PEUGEOT 0242.69		605 2,1 SRDT.SVDT.SLDT 90->
		605 3,0i 90->

F15055




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	20	117°C	

SUITABLE	CITROEN	PEUGEOT
YELLOW RING CITROEN 96.008.159-PSA 0242.78	XM 2,0L ZX 1,4L	89-> 91-> 106 1,0 . 1,1 . 1,1i . 1,4 . 1,4i

F15056




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	20	107°C	

SUITABLE	PEUGEOT
GREEN RING	605 2,0 SL . SR 90->
PEUGEOT	1338.15

F15059




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	107°C	

SUITABLE

FIAT 504032986
IVECO 370-470-570-670-331A

F15059R





Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	110°C	

SUITABLE

LOMBARDINI 1079195077

F15061




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	22	105°C	

SUITABLE		AUDI		SEAT		VOLKSWAGEN	
SEAT	281919369	80 2,0 16V	90->94	Toledo 1,8 GT 16V	91->94	Corrado 1,8i 16V	91->92
VOLKSWAGEN	281919369	100 2,0 16V	91->94			Corrado 2,0i 16V	92->

F15063




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19	130°C	

SUITABLE

VOLKSWAGEN 122115671

F15063B




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	19	110°C	

SUITABLE

CNH 87700250

F15063L




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19	130°C	

SUITABLE

LOMBARDINI 780.9195.538

F15063LC




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19	130°C	

SUITABLE

LOMBARDINI 9195.540.8

F15063SG



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19	92°C	


SUITABLE

SAN GIORGIO

SEIN VSG 40170

F15063S




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19	110°C	

SUITABLE

LOMBARDINI 5659195030

F15063T




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19	105°C	

SUITABLE

LOMBARDINI 9195.136.8

F15064




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	100°C	

SUITABLE		MERCEDES	
MERCEDES	0065451424	190 D	90->93
	0065453924	240 D	90->93
		250 GD 4x4	90->93
		300 GD 4x4	90->93
		300 GE 4x4	90->93

F15064SG



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19	105°C	


SUITABLE

SAN GIORGIO

SEIN VSG 40166/2

F15064S




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	100°C	

SUITABLE

APPLICAZIONE SPECIALE

F15068



Threading	Wrench	Pressure - Temperature	
		60°C	

SUITABLE	
VOLKSWAGEN	251919369
ELTH	2670400


VOLKSWAGEN	
Golf 1,05 . 1,3 . 1,3i . 1,5	85->87
Golf 1,6 . 1,6i . 1,8 GTI	85->87
Golf 1,6 D	85->87
Jetta 1,05 . 1,3 . 1,3i . 1,5	85->87
Jetta 1,6 . 1,6i . 1,8GTI	85->87

Jetta 1,6 D	85->87
Passat 1,3 . 1,6 . 1,8 . 2,0	84->88
Polo - Coupé	85->88
Santana	85->88
Scirocco 1,1 . 1,3 . 1,5 . 1,8	85->88
Scirocco 1,6i . 1,8i	85->88

Transporter 1,7. 1,9	85->87
Transporter 2,1. 2,1i	85->87
Transporter D . TD	85->87
Type 2	85->87

F15069



Threading	Wrench	Pressure - Temperature	
		119°C	

SUITABLE	
VOLKSWAGEN	191919369A
ELTH	2670403


SEAT	
Alhambra 1,9 TDI	96->
Cordoba 1,9 D . 1,9 TD	93->96
Cordoba	96->
Ibiza 1,9 D . TD	93->96
Ibiza	96->
Inca 1,4i . 1,6i	96->
Toledo 1,6i . 1,8i	91->

VOLKSWAGEN	
Corrado G60	88->93
Corrado 2,0i	91->
Golf 1,6 D . TD	88->92
Golf Syncro	88->92
Golf 1,9 D . TD	92->
Jetta 1,6 D . TD	88->92
Passat 1,8i	88->90
Passat 2,0i	90->92

Passat 1,9 D	88->91
Passat 1,6 TD	94->
Passat 1,9 TD	94->
Vento 1,9 D . TD	92->


F15070




Threading	Wrench	Pressure - Temperature	
		60°C	

SUITABLE		SEAT		VOLKSWAGEN			
VOLKSWAGEN	251919369B	Alhambra	96->	Caddy 1,6 . 1,6 D	88->92	Scirocco 1,3 . 1,6	83->92
ELTH	2670409	Cordoba	96->	Caravelle 1,8. 2,0i. 2,5i	91->	Transporter 1,8	91->92
		Ibiza	96->	Golf	88->92	Transporter 1,9 D . TD	90->94
		Inca 1,4i . 1,6i	95->	Jetta	88->92	Transporter 2,0i . 2,5i	90->
		Toledo	91->	Passat 1,6. 1,6i. 1,8i	88->93	Transporter 2,4 D	90->94
				Polo - Coupé	88->90	Type2 1,9 D . TD	91->94
				Polo 1,05. 1,3	91->		
				Polo 1,05i . 1,3i	88->89		

F15075




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	22	120°C	

SUITABLE		SEAT	VOLKSWAGEN	
SEAT	037919369	Toledo	87->92	Golf
VOLKSWAGEN	037919369			Jetta

F15079





Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	19	85°C	

SUITABLE
VOLKSWAGEN 034919369B

AUDI
 100 2,0i E. 2,2i E. 2,3i E **88->91**
 200 2,2 Turbo **88->92**

F15080





Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	22	110°C	

SUITABLE	
VOLKSWAGEN	035919369S 053919369A

AUDI	
Coupé 1,8	89->91
Coupé 2,0 E	89->
Coupé 2,2 S2	90->
80 Quattro	91->94
80 1,9 TDi	91->94
100 2,0i E	91->94

F15083




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	22	85°C	

SUITABLE		AUDI			RENAULT	
RENAULT	6001008123 7701033384	Coupé Quattro	89->	90 Quattro 2,3i E	87->94	RENAULT
VOLKSWAGEN	034919369A	Coupé 2,0 E . 2,2 E	89->91	90 2,0 E	88->91	R 11 Turbo
		Coupé 2,3 E	88->	90 2,0i E	87->91	VOLKSWAGEN
		80 Quattro 2,3i E	87->94	90 2,2 E . 2,3i E	87->91	Passat 2,0 . 2,2
		80 2,0 E . 2,2i E	87->91	100 2,0i E . 2,2 E	88->91	
		80 2,2 E . 2,3i E	87->91	100 2,3i E	88->94	

F15084




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	20	50°C	

SUITABLE		CITROEN	PEUGEOT
CITROEN	96092918	Evasion 1,9 TD	94-> 306 1,7 D
PEUGEOT	0242.76	Xantia 1,6i X. 1,8i X. SX	93-> 306 1,9 D
		Xantia 2,0i . 2,0i 16V	93-> 605 2,0i. 2,1 D. 2,1 TD
		XM 2,0i Turbo	90->94
		XM 2,1 D	92-> 605 3,0i V6. V6 24V
		XM 2,0 TD	90->94
		ZX 2,0i . 2,0i 16V	92->

F15087



Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	22	65°C	

SUITABLE
VOLKSWAGEN 035919369C

AUDI	
80 1,6 . 1,8	86->92
100 1,8 S . 1,8 E	83->91
100 2,5 5 Cil.	84->86
Coupé 1,9 GT 5S	80->83


SEAT	
Toledo	91->93

VOLKSWAGEN	
Caddy 1,6	83->88
Derby 1,3 75 CV	83->84
Golf	83->92
Jetta	83->92
Passat	84->88
Passat 1,6i	88->91

Polo Coupé 1,3 GT	82->90
Polo 1,05	90->93
Santana	84->88
Scirocco	85->92
Transporter 1,9	80->90

F15089S




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,25	17	107°C	

SUITABLE

APPLICAZIONE SPECIALE

F15090




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	22	115°C	

SUITABLE

CEV 304405304

F15090/S




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	22	115°C	

SUITABLE

CEV 304405306

F15092




Threading	Wrench	Pressure - Temperature	
Conical 1/8 BSP	17	124°C	

SUITABLE

CEV 304405305

F15092/105




Threading	Wrench	Pressure - Temperature	
Conical 1/8 BSP	17	105°C	

SUITABLE

CEV 304405310

F15092/112




Threading	Wrench	Pressure - Temperature	
Conical 1/8 BSP	17	112°C	

SUITABLE

CEV 304405308

F15092/115




Threading	Wrench	Pressure - Temperature	
Conical 1/8 BSP	17	115°C	

SUITABLE

CEV 304405309

F15092B



Threading	Wrench	Pressure - Temperature	
Conical 1/8 GAS	17	126°C	


SUITABLE

MOTORI MINARELLI

5BS-H3605-10

F15092BX




Threading	Wrench	Pressure - Temperature	
Conical 1/8 GAS	17	131°C	

SUITABLE
MOTORI MINARELLI
 1PH-H3605-00

F15092 V 120



Threading	Wrench	Pressure - Temperature	
Conical 1/8 GAS	17	120°C	


SUITABLE

MOTORI MINARELLI

0706596000

F15092 VP



Threading	Wrench	Pressure - Temperature	
Conical 1/8 GAS	17	105°C	


SUITABLE

MOTORI MINARELLI

0706584000

F15093




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	140°C	

SUITABLE

IVECO 500347919

F15094




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	22	105°C	

SUITABLE

CEV 304405307

F15099




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	19	70°C	

SUITABLE		AUDI		VOLKSWAGEN			
VOLKSWAGEN	191919521 191919521A	80 1,6 80 1,8 75 CV 80 1,8 S 90 CV 100 1,8 . 1,8 S	86->92 86->90 86->92 86->91	Caddy 1,6 Golf 1,05 Golf 1,3 . 1,6 Golf 1,8	88->93 87->92 85->92 87->92 85->92 87->92	Jetta 1,05 Jetta 1,3 . 1,6 Jetta 1,8 Passat 1,6 Scirocco 1,6 . 1,8	87->92 85->92 87->92 88->93 86->92

F15100



Threading	Wrench	Pressure - Temperature	
		110°C	


SUITABLE	
VOLKSWAGEN	357919369F
ELTH	2670426

SEAT	
Alhambra 1,9 TD	96->
Cordoba	93->96
Cordoba 2,0i 16V	96->
Ibiza 1,8i . 2,0i	93->96
Ibiza 2,0i 16V	96->
Ibiza 1,9 D . TD	93->96
Toledo 1,8i	93->96
Toledo 2,0i	93->94
Toledo 1,9 D . TD	91->

VOLKSWAGEN	
Corrado 2,9 VR6	91->
Golf 1,8i. 2,0i. 2,8 VR6	92->
Golf 1,9 D . TD	92->
Passat 2,8 VR6	91->
Passat 1,6 TD	89->
Passat 1,9 D . TD	90->
Vento 1,8i. 2,0i. VR6	92->
Vento 1,9 D . TD	92->

F15101




Threading	Wrench	Pressure - Temperature	
		119/112°C	

SUITABLE		SEAT		VOLKSWAGEN			
VOLKSWAGEN	357919369E	Cordoba 1,9 D . TD	93->	Corrado 2,9 VR6	91->	Passat 2,8 VR6	91->
ELTH	2670701	Ibiza 1,9 D . TD	92->	Golf 1,6 D . TD	89->92	Vento 1,9 D . TD	92->
		Inca 1,9 D . SDI	96->	Golf 1,9 D . TD	92->	Vento 2,8 VR6	92->
		Toledo 1,9 D . TD	91->	Golf 2,8 VR6	92->	Transporter 1,8	91->92
				Jetta 1,6 D . TD	89->92	Transporter 1,9 D	90->94
				Passat 1,6 TD	88->93	Transporter 1,9 TD	92->94
				Passat 1,9 D . TD	89->	Transporter 2,0i	90->94

F15102




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	20	60°C	

SUITABLE		CITROEN		FIAT	
CITROEN	96142336	Evasion 1,9 TD	95->	Ulysse 1,9 TD	95->
PEUGEOT	1338.27	Jumper 1,9 TD	94->	PEUGEOT	
		Jumper 2,5 D . TD	94->	306 1,9 TD	93->
		Jumpy 1,9 TD	95->	406 D	96->
		Xantia 1,9 TD	93->	Boxer 1,9 TD	94->
		ZX 1,9 TD	92->		

F15105




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	19	117°C	

SUITABLE		RENAULT	
RENAULT	7700823512	Twingo 1,2	93->

F15106




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	100°C	

SUITABLE

LOMBARDINI 1049195086

F15106L




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	22	135°C	

SUITABLE

LOMBARDINI R659195107

F15106S




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	80°C	

SUITABLE
SPECIAL APPLICATION

F15106X




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19	100°C	


SUITABLE

LOMBARDINI

9195.086.0

F15108



Threading	Wrench	Pressure - Temperature	
Cylindrical M10X1	19	120°C	

SUITABLE
VOLKSWAGEN 171919521F

AUDI
Coupé **81->88**
Coupé Quattro **->88**
50 **78->80**
80 **87->91**


80 1,6 D . TD
100
100 2,0 D . TD
4000
5000

87->91
77->88
88->91
84->89
->89

VOLKSWAGEN
Derby **79->80**
Polo **79->80**
Rabbit **79->87**

F15110



Threading	Wrench	Pressure - Temperature	
		107 - 112°C	

SUITABLE


VOLKSWAGEN 701919369E
ELTH 2670703

VOLKSWAGEN

Transporter 1,8 **91->92**
 Transporter 1,9 D . TD **90->94**
 Transporter 2,0i **90->94**
 Transporter 2,4 D **90->94**
 Transporter 2,5i **90->**

F15112



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	60°C	


SUITABLE
MERCEDES 0065459024


MERCEDES

190E 1,8i	90->93
190E 2,0i	83->93
190E 2,3i	83->93
200CE 2,0i	88->92
200E	85->92

200E 2,0i	88->92
200TE 2,0i	88->92
230CE 2,3i	87->92
230E 2,3i	85->92
230TE 2,3i	85->92

F15116



Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	22	45°C	

SUITABLE


VOLKSVAGEN 027919369B

VOLKSWAGEN

Golf GTI 16V **87->92**
 Jetta GT K Jetronic **86->87**
 Jetta GTX 16V **87->92**
 Scirocco 1,8i, 1,8 16V **88->92**

F15401



Threading	Wrench	Pressure - Temperature	
hole D.10,1		115°C	


SUITABLE

LOMBARDINI

435009195104000

F15401/1



Threading	Wrench	Pressure - Temperature	
hole D.8,5		115°C	

SUITABLE

LOMBARDINI

435009195105000

F15502



Threading	Wrench	Pressure - Temperature
Cylindrical M10x1,25	19	White opens 30+/-3 close 40+/-3°C

SUITABLE		FIAT	
FIAT	7574407	TCinquecento 900 SPI	
		Seicento 900 SPI	
		Tempra 1,4 . 1,6	93->
		Tipo 1,4 . 1,6	93->
		Uno R 1,1 . 1,4	89->


F15504



Threading	Wrench	Pressure - Temperature
Cylindrical M10x1,25	19	Black opens 35+/-3 close 50+/-3°C

SUITABLE		FIAT	
FIAT	7541872	Tempra 1,4 . 1,6 Tipo 1,4 . 1,6	93-> 93->

F16001




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	19		

SUITABLE		ALFA ROMEO		LANCIA	
ALFA ROMEO	60813687	156 1,9 JTD	97->	Panda 965	80-86
	7588802	156 2.4 JTD	97->	Panda 750 - 900	86->
FIAT	4067872	FIAT		Panda 1000- 1100ie	91->
	4108672	1100.1200.1300.1500	54->70	Punto 55-60-75-85-90	93->99
	4276954	1800.2100.2300.2400	63->69	Punto 1,7TD 60-70	93->99
	4349082	124	66->76	Punto Cabrio	94->
	4407984	124 2000 Spider Europa	79->86	Regata 70-85-100S-1,9TD	83->89
	4409505	125 . Special	67->73	Ritmo 1,1-1,3-1,5-1,6-105	80->88
	4411108	125 Bis 704cc	87->	Ritmo D	80->88
	4414600	127 Special 903cc	74->78	Seicento	98->
	4448131	127 3 [^] serie	82->86	Siena	97->
	7588802	128 Rallye . Coupé	71->82	Tempra 1,4-1,4ie-1,6-1,6ie	90->93
	7588882	130	72->76	Tempra 1,8ie-1,9-2,0ie-SW	90->96
	7591297	131	74->85	Tempra 1,9DS	90->96
	7727854	132	72->83	Tipo 1,1-1,4-1,4ie-1,6-1,6ie	88->95
	82199130	147	79->81	Tipo 1,8ie- 2,0ie-2,0ie 16V	90->95
FSO POLSKI	4067877	Argenta	81->86	Tipo 1,9D-TD	87->95
IVECO	4448131	Barchetta	95->	Uno 45-55-60-70-75	83->94
LADA	21013808600	Brava 1,4i 12V-1,6i 16V	95->98	Uno 1,0-1,1ie-1,4-1,4ie	89->94
SEAT	CA-94780000	Brava 1,8i 16V ELX	95->98	Uno 1,3DS- 1,7DS	89->94
	ED-94700000	Brava 1,9D. 1,9TD 75.100	96->98	X1/9	73->83
	FC-94700000	Brava 1,8i 16V 115	98->	238	78->81
	FD-94700000	Bravo 1,4i 12V-1,6i 16V	95->98	Campagnola	75->86
	FD-94700001	Bravo 1,8i 16V- 2,0i 20V	96->	Daily 35.12 - 49.12	91->
	FD-94700020	Bravo 1,9D- 1,9TD	95->	Ducato D	86->93
	FD-94700030	Cinquecento 900	92->98	Fiorino	79->
	JA-94700003	Cinquecento 1,1i	98->98	FSO POLSKI	
	RF-94700000	Coupé	94->	125 P 1300 . 1500 . Pick-Up	68->
	SE-021947000A	Duna	87->91	Polonez 1500	78->
	SE-021947000C	Marea 1,4i-1,6i-1,8i-1,9	96->99	Polonez 1600 LE	87->
	SE-131947000A	Marea 1,9 TD 75 - 100	99->	LADA	
TALBOT	0060407500	Marea 1,6i 16V 100	99->	1200.1300.1500.1600	72->84
		Marea 1,8i 16V 115	99->	1200S.1300S.1500S.1600S	84->
		Palio 1,1i - 1,4i	98->	370 Van 1200	83->
		Palio 1,2i 75 - Week-end	97->	Niva 1600 4WD	80->
		Palio 1,6i 16V 100	97->	Samara 1,1 . 1,3 . 1,5	83->85
		Palio week-end 1,4iEL	97->		

F16002




Threading	Wrench	Pressure - Temperature	
Conical M14x1,5	19		

SUITABLE		LANCIA	
FIAT	4418305	Delta 1,3 . 1,5	79->83
		Prisma 1,3.1,5.1,6	83->84

F16003




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	19		

SUITABLE		FIAT	
FIAT	4386700	127 C.CL.Sport	78->81
	4396700	Fiorino 1050 Export	79->88
	4444652	147 (Brasil)	82->84
ZASTAVA	1017176	ZASTAVA	
		Yugo	86->

F16007




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	19	12-24 V	

SUITABLE		ALFA ROMEO		FIAT-OM		SUZUKI-SANTANA	
ALFA ROMEO	105000632200	Alfa 75 4cil. carb.	85->91	OM 241. Daily(GrintaS)		SJ 410 . SJ 413	85->96
	60515838	Alfa 90	84->87	OM Z80 . Z90			
	60515839	Alfetta	75->85				
IVECO	4124626	Giulietta	78->86				
	4171667	Spider	68->87				
	8048205	1750.2000.2600	62->77				

F16007C




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	19		

SUITABLE

IVECO 504088112
CNH 504088112

F16007SG



Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	19		


SUITABLE

SAN GIORGIO

SEIN VSG 40018/1

F16008




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE		ALFA ROMEO	
ALFA ROMEO	530438	Alfa 33	83->89
	60751206	Alfa 75 1,8 ie	87->91
	60805482	Alfa 155	92->
	60808202	Alfasud	76->84
PEGASO	648.190		

F16009




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	19		

	SUITABLE	INNOCENTI	IVECO
FIAT	4124626 4171667	Mini 90 . 120 . DeTomaso 70->83 Mini Mille 80->83	241 . Daily (Grinta S) Z80 . Z90

F16010




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	17		

SUITABLE		FIAT		PEUGEOT		RENAULT	
CITROEN	7910247507	Ducato 1,8 . 2,0	81->93	204	70->76	Fuego	83->86
FIAT	7910247507			304	69->80	9 . 11 all models	82->88
PEUGEOT	0242.20			305	77->88	18	78->84
	1336.63			504	79->82	20	77->83
RENAULT	7700767336			505	79->89	30	75->84
	7701348143			604	75->86	Trafic	80->86
	7910245551			J5 1,8 . 2,0	81->89		
	7910245553			J7 D	68->		
				J9	79->86		

F16012




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27 NPT	13		

SUITABLE		DAEWOO		OPEL	
DAEWOO	03439088	Aranos 1,5i 16V GLX	95->96	Ascona C	81->88
GENERAL MOTORS	03439088	Espero 1,5i 16V GLX	95->99	Astra	91->01
	90246852			Calibra	90->97
	94472002			Corsa A	82->93
OPEL	1338448			Corsa B	93->00
	1342561			Frontera	92->98
	1342567			Kadett D. E	68->94
	1342568			Manta B	75->86
				Monza A	78->87
				Omega	86->03
				Tigra	94->00
				Vectra	88->02
				Zafira 1,6 16V	99->

F16012C



Threading	Wrench	Pressure - Temperature	
Conical 1/8x27 NPT	13		

SUITABLE

CONTINENTAL 320006


F16015




Threading	Wrench	Pressure - Temperature	
Cylindrical M18x1,5	22		

SUITABLE		CITROEN		PEUGEOT		TALBOT	
CITROEN	95548678	C25 2,5 D . TD	81->87	104	72->85	Samba	81->86
	95581212	CX . CX 2,5 D . TD	78->89	204. 304. 404	60->77		
FIAT	5494830	Visa Crono	82->87	504	68->82		
PEUGEOT	0242.14	Visa 1,6 GTI	85->89	J5 2,5 D	81->88		
	0242.40			J7	65->79		
RENAULT	6000001355	DACIA		J9 D	79->86		
	7700503200	Aro	72->	RENAULT			
	7701349086	Duster , Pick-up	84->	Estafette	68->80		
TALBOT	7810240000	FIAT		R5 . R8 . R12	70->85		
		Ducato D (CRD)	86->93	R14 . R15 . R16 . R17	79->83		
				R18 Fuego 1397cc	78->82		
				R20 L . TL . GTL 1647cc	75->78		
				Trafic 1397cc.	81->83		

F16016




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	17		

SUITABLE		DAIHATSU		INNOCENTI		SUZUKI	
DAIHATSU	83420-87701	Charade	79->84	3 Cyl S. SE. SL	82->	LJ 50 . LJ 80	->81
FORD	D27Z-10884-A	Delta	77->	MAZDA		SJ 410	84->
HONDA	37750611154	HONDA		B1800 . B2000 . B2200	79->88	TRIUMPH	
INNOCENTI	553621200	Accord	75->81	626	79->80	Acclaim	81->84
MAZDA	011818510	Civic	73->81				
	011889181	Prelude	79->81				
SUZUKI	3485065011						

F16017




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27 NPT	13		

SUITABLE		FORD					
FORD	C5EH10884B	Capri MKI. MKII. MKIII	68->84	Escort 1,1. 1,3	80->88	Orion 1,1 . 1,3	80->88
	D1FZ10884B	Consul 2,0. 2,3	75->77	Fiesta 900	76->89	Taunus	64->83
	1701341	Cortina	67->83	Fiesta 1,0	89->	Transit	65->84
				Fiesta 1,1	76->		

F16020




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27 NPT	13		

SUITABLE		SAAB	
SAAB	8800914	90	84->87
	8859233	99	76->80
	9108291	900	79->93
		9000	86->

F16021




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE		B.M.W.					
B.M.W.	62110788115	2,8 CS . L	75->77	320i	75->87	525e	83->85
		3,0 CS . L . S . SI	71->75	323i	78->85	525e cat.	85->86
		3,3 LI	75->77	325e	85->86	525i . 528i	->85
		315 . 316 . 318	75->86	518	75->85	728	->81
		320	75->77	518i	79->86		
				520i	83->85		

F16023



Threading	Wrench	Pressure - Temperature	
Cylindrical 5/8x18 UNF	19		

SUITABLE		DAIMLER		JAGUAR		LAND ROVER	
LAND ROVER	PRC 7918	Double Six 5,3	72->81	E-Type 4,2 . 5,3	69->74	Range Rover 3,9i V8 EFi	92->
ROVER	GTR 106	Limousine . Sovereign	72->75	XJ-12 5,3	72->73	TRIUMPH	
TALBOT	1205552	IRAN NATIONAL PAYKAN		XJ-6 2,8 . 4,2	70->73	Herald . Spitfire . 1300	67->70
		Paykan	70->			Vitesse	67->71

F16024




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	13		

SUITABLE		AUDI		SEAT		VOLKSWAGEN	
SEAT	SE021947000 I	50 1,1 . 1,3	78->80	Alhambra 1,9 TD	96->	Corrado	88->93
VOLKSWAGEN	027919501	80 1,3.1,5.1,6.1,8.1,9	72->88	Ibiza II 1,7 D	89->92	Dascher D 1,5	78->80
	049919501	80 1,8 E. S. 2,0 E	73->88	Malaga 1,7 D	89->91	Derby	81->85
	049919501A	80 1,6 D . TD	88->91	Terra D 1,3 . 1,4	90->94	Golf	79->89
	049919563A	90 2,0 CD . 2,2 Quattro	84->91	Toledo	91->	Jetta	79->89
	175919501	90 2,2 E . 2,3 E	87->91			Scirocco	79->89
		100 1,6 . 1,8 . 1,9 Avanti	75->84			Golf 2,0i 16V	92->
		100 1,8 . 2,0 . 2,2 . 2,3	84->91			Passat	84->93
		100 2,0 D . TD	82->91			Santana	84->88
		100 2,4 D	89->94			Polo	82->90
		200 2,2 . 2,3 Turbo	88->91			Quantum 1,7i	81->87
		Coupé 1,8 . 1,9	80->84			Rabbit 1,7	80->87
		Coupé 2,2 E . 2,3 E	88->			Vento 2,0 GTI 16V	92->
		Quattro 2,2 . 2,3	87->			Caddy	82->89
		4000	78->83			Golf Van	76->91
		V8 3,6	88->			LT Series	89->
						Transporter Type 2	80->90
						Vanagon	82->85

F16028



Threading	Wrench	Pressure - Temperature	
Conical 1/8x27 NPT	13		


SUITABLE
GENERAL MOTORS 7966464
UNIPART GTR 116
VAUXHALL 7966464

BEDFORD
 Chevanne 1,3 **76->80**

VAUXHALL
 Chevette 1,3 **75->**
 VX 1800. 2300. 2300 GLS **76->78**

F16031




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	13		

SUITABLE		AUDI		VOLKSWAGEN		VOLVO	
VOLKSWAGEN	035919401	Coupé	81->84	Quantum 2,1	85->87	240 2,4D	88->
VOLVO	1328397	80	->85			260 D	88->89
	1328397-3	100	85->88			780 2,4D	87->90
		200	84->87				
		4000	84->89				
		5000	->85				

F16032




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27 NPT	13		

SUITABLE		FORD	
FORD	1583836	Escort	80->88
	6058836	Fiesta 900	76->89
	77FB10884AA	Fiesta 1,0	89->
		Fiesta 1,1	76->89
		Fiesta 1,1	89->
		Fiesta 1,3	77->85
		Fiesta 1,6	81->85
		Orion 1,1	80->88
		Orion 1,3	86->88

F16033




Threading	Wrench	Pressure - Temperature	
Cylindrical 5/8x18 UNF	17		

SUITABLE		VOLVO	
ROVER	PRC 4372	140. 142. 144. 145	73->74
VOLVO	460191	160. 164. 164E	74->75
	460191-0	240 D	74->87
		240 2,0. 2,3i	88->93
		242. 244. 245	74->78
		260 D	74->87
		260. 262. 264. 265	80->87
		340. 343. 345	80->84
		360 1,4. 1,7	84->89
		360 2,0 GLS . GLT	82->91
		360 2,0 GLE	84->91
		360 2,0 . 2,0i	84->89
		360 1,6D	85->89
		740 2,3 . 2,3i	84->89
		740 . Turbo	84->90
		760 GLE	83->90
		760 Turbo	83->84
		DL. GL. GT. GTT Turbo	80->

F16036




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	17		

SUITABLE		VOLVO	
VOLVO	269085	240	79->87
	269085-7	260	74->87
		262. 264. 265	79->82
		340 1,7	85->91
		440 1,7	88->90
		460 1,7	90->90
		480 1,7 . ES	86->90
		760 2,8 V6	82->85
		760 TD	83->84
		GLE . Coupé	80->

F16037




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	17		

SUITABLE		NISSAN	
NISSAN	2508062200	200 Cedric 4 cyl. 2000 . 2300	66->72 68->70

F16038




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	17		

SUITABLE		NISSAN	
NISSAN	2508089902	Pick-Up	85->88
		Pulsar	81->86
		Sentra	82->83
		Stanza	82->87
		Stanza Wagon	->87
		Sunny	86->
		200 SX	83->87
		280 ZX Turbo	80->83
		310	80->82

F16042




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	17		

SUITABLE		TOYOTA	
TOYOTA	8342016010	Camry	83->
	8342020010	Celica	81->86
	8342020020	Corolla	80->82
		Cressida	81->
		FX	87->
		Landcruiser	80->
		MR-2	85->
		Pick-Up	76->
		Starlet	81->84
		Supra	81->
		Tercel	80->86
		Van	84->

F16043




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	17		

SUITABLE		SUBARU		TOYOTA	
SUBARU	21203AA000 820804150	All models	70->87	Carina	71->73
TOYOTA	8342012010 8342020011			Celica	71->80
				Corolla	67->80
				Corona	65->80
				Cressida	78->80
				Crown	68->72
				Landcruiser	69->80
				Pick-Up	69->75
				Supra	79->80
				Tercel	87->

F16046




Threading	Wrench	Pressure - Temperature	
Conical 1/8 gas	13		

SUITABLE		DAIHATSU		HONDA	
DAIHATSU	8342087702000	Applause 1,6i	90->	Accord	88->
HONDA	37750PH2014	Charade Turbo	85->	Civic	88->
INNOCENTI	553621201	Cuore	85->	Concerto	90->91
ROVER	GTR-184	Feroza	85->		
	PEL-100230				
SUZUKI	3485070B10				

F16047




Threading	Wrench	Pressure - Temperature	
Cylindrical M8x0,75	13		

SUITABLE		MAZDA	
MAZDA	871218510	RX7 929 Rotary	79->80 80->83

F16048




Threading	Wrench	Pressure - Temperature	
Cylindrical M8x0,75	13		

SUITABLE
MAZDA 175718510A

MAZDA
 GLC **79->80**
 RX2.RX3.RX4.RX5 **73->78**

F16050




Threading	Wrench	Pressure - Temperature	
Conical 1/8 BSPT	13		

SUITABLE		ACURA		MAZDA	
HONDA	37750PC1004	Integra	86->	B 2600	89->
MAZDA	G60718510	Legend	86->87	ROVER	
UNIPART	GTR 133	HONDA		213 - 216	86->
		Accord . Accord CRX	82->87	820	87->
		City 45 . 56	86->	825 6V	87->
		Civic . DX . S	82->87		
		Civic Wagon	86->		
		Civic CRX . HF . SI	84->86		
		Jazz 45 . 56	86->		
		Prelude . Prelude SI	81->87		
		Quintet	80->84		

F16051




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	17		

SUITABLE		NISSAN	
NISSAN	2508089900	Bluebird	71->82
		Cherry	70->82
		Skyline	72->78
		Sunny 1,2 . 1,5	82->84
		Violet	73->82
		200 Cedric 6 cyl.	71->75
		200 SX	74->82
		210	78->82
		240 . 260 Cedric	70->77
		240 Z	70->73
		260 Z	74->77
		310	78->80
		510	78->81
		620 Pick Up	70->79
		720 Pick Up	->80
		810 . 810 Maxima	80->83

F16053




Threading	Wrench	Pressure - Temperature	
		D.20 termistore doppio	

SUITABLE		CITROEN		FIAT		PEUGEOT	
CITROEN	96335188	Berlingo 2,0 HDI	99->	Ducato 2,0 JTD	02->	206 2,0 HDI 90	00->
FIAT	9633518880	Jumper 2,0 - 2,2 HDI	02->			306 2,0 HDI 90	99->
PEUGEOT	1338.CO	XSara 2,0 HDI	99->			Partner 2,0 HDI	00->
						Ranch 2,0 HDI	99->

F16056




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	19		

	SUITABLE	FIAT	
FIAT	7542186	Panda 750 Young	86->91
	7548005	Panda 1000 , 4X4	86->91
	7588803	Panda 1,0i , 1,1i fire	86->91
		Tipo 1,1	88->91
		Uno 45 1,0 fire	89->91
		Uno 60 1,1 fire	89->91

F16064




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	13		

SUITABLE

CONTINENTAL 320041

F16065



Threading	Wrench	Pressure - Temperature	
Cylindrical 5/8x18 UNF	19		

SUITABLE

LAND ROVER PRC 8593
MASSEY FERGUSON 1877731
 1877731-M92

LAND ROVER


Defender 90 2,5 D 200 TDi **88->**

MASSEY FERGUSON

Tractors series 200
 Tractors series 600

F16066




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	19		

SUITABLE		VOLVO	
VOLVO	3205685	340 1,4 . 1,6D . 1,7	84->89
	3205685-5	480 1,7i . 1,7i turbo	86->
	3432833		
	3432833-6		
	3433761		
	3433761-8		

F16067




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE		B.M.W.	
B.M.W.	12621710512 1710511	316 i	87->90
		318 i	87->91
		318 is 1.8 i 16V 8M42)	90->93
		320 i	86->88
		320 IC	87->91
		320 IS	88->91
		320 is 24V Cabriolet, Coupe	90->92
		320 i 325 E	86->87
		325 i	87->90
		518 i Touring (M40)	89->91
		518 i 24V Touring (M50)	90->93
		525 E	86->89
		525 I	86->96
		525 TO, TDS, (M51)	91->96
		328 i	86->87
		530 i Motronic	87->91
		535 i Motronic	86->88
		728 i is. 730. 732. 733 i	78->85
		M3	82->85
		Z1	85->91

F16069




Threading	Wrench	Pressure - Temperature	
Conical 1/8 BSP	13		

SUITABLE	GENERAL MOTORS	SUBARU	SUZUKI
GENERAL MOTORS 91138061 96052069 96060399	Sprint 85->	E Series 87-> J Series 87->91 Justi 1,2i 91->	Alto 800 80-> Samurai 85-> Sidekick 1,6i 89->93
MARUTI 3485082001	MARUTI	M60 600 88->89 M70 700 88->89 M80 800 90->	Swift 84-> SA413 1,3 84-> SJ413 84-> SK410 86->
MARUTI 420805410	Maruti 800 90->		
SUZUKI 3485050A00 3485082000 3485082001			

F16072



Threading	Wrench	Pressure - Temperature	
Conical 1/8x27 NPT	13		

SUITABLE		FORD	
FORD	1640040	Escort . Escort D	86->
	6108298	Fiesta . Fiesta D	76->
	6136366	Orion . Orion D	80->
	6146864	Sierra 1,6i	89->93
	85FB10884AA	Sierra 2,0i . 2,3i . 2,8i V6	->93
	86AB10884AA	Transit 1,6 . 2,0 . 2,9i V6	83->

F16076




Threading	Wrench	Pressure - Temperature	
Ø 20mm			

SUITABLE		AUDI		VOLKSWAGEN			
FORD	1669949	80 1,6 TD	86->91	Caddy I	82->92	Polo 45 1,0	94->96
	95VW-10884-BA	80 1,9 D . TD	89->94	Golf I 1,3 . 1,6 . 1,8	82->93	Scirocco 1,3 . 1,6 . 1,8	83->92
SEAT	251919501A	90 1,6 TD	87->91	Golf II 1,0 . 1,3 . 1,6	83->92	Sharan 1,8 . 2,0	95->
	251919501D			Golf II 1,6D-GTD-TD	83->92	Sharan 1,9 TDI	95->
VOLKSWAGEN	251919501A			Golf II 1,8 . 1,8GTI . 1,8i	83->91	Sharan 2,0 . 2,8	95->
	251919501D			Golf III 1,8	91->99	Transporter IV 1,9D	90->
				Golf III 2,0	91->99	Transporter IV 2,4D	90->
				Jetta II 1,0 . 1,3 . 1,6	84->92	Transporter IV 2,5	90->
				Jetta II 1,6D . GTD . TD	84->92	Transporter IV 2,8	00->
				Jetta II 1,8 . 1,8 16V	84->91		
				Passat 1,6 . 1,6i	80->93		
				Passat 1,6D . TD	80->93		
				Passat 1,8 . 1,8 16V	83->97		
				Passat 1,9D . TD	89->97		
				Passat 2,0 . 2,0 16V	88->97		
				Polo 1,0	81->94		
				Polo 1,1 . 1,3	81->89		
				Polo 1,3D	86->90		
				Polo 1,4D	90->94		

F16077




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	27		

SUITABLE
FIAT 5108205

FIAT
TRACTORS

F16077C




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	27		

SUITABLE

**TUMOSAN
SPECIAL APPLIANCE**

F16078




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE		MERCEDES	
MERCEDES	0025422517	190 . 190E . 190D	82->93
	0055421017	200 . 200E . 300E	68->85
	0055422617	200D.220D.240D.300D	68->76
		230E.230TE.260E.260TE	85->87
		230G . 240GD	79->82
		250D.250TD	85->87
		260E 2,6i	90->93
		280S	72->87
		300E 3.0i 24V	90->93
		420 . 450 SEL	72->79
		500 . 560	80->87
		C180.C200.C220.C280	93->
		E200 . E220 . E280 . E320	94->
		E420 . E500	94->
		S280 . S320 . S420 . S500	93->
		S600 V12	93->


F16079




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	19		

SUITABLE		VOLVO	
VOLVO	1362644	760 2,8i V6	82->89
	1362644-5	780 2,8i V6	87->90
		940 2,8i	90->
		960 2,8i	90->

F16083



Threading	Wrench	Pressure - Temperature	
Cylindrical M10X1	13		


SUITABLE
VOLKSWAGEN 049919563B

AUDI	
Coupé Quattro	85->
Coupé 1,8	89->91
Coupé 2,0E	90->
Coupé 2,6E . 2,8E	91->
80	85->94
90	85->94
100 1,8	88->91
100 2,0iE	91->94
100 2,6iE . 2,8iE	91->94

VOLKSWAGEN
Passat 1,6 . 1,6D . 1,8 **86->88**

F16084




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	19		

SUITABLE		RENAULT	
CHRYSLER	T0771821	Alpine 3,0i Turbo	85->
RENAULT	7700771821	Espace 2,0 . 2,2i . 2,1TD	85->
		21 Nevada 2,0 . 2,2 . 2,1TD	87->
		21 2,0 . 2,2 . 2,1TD	86->
		25 2,0i . 2,2i . 2,1TD	84->92
		Trafic	89->

F16086



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE


ALFA ROMEO 60504210

ALFA ROMEO

33 **89->**
 75 2.0 Twin Spark **87->91**
 155 **92->**
 164 Super 2,0i TwinSpark **92->**
 164 2,0i TwinSpark **92->**

F16087




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE		B.M.W.	
B.M.W.	1309193	M3	-> 91
	12611309193	M3 Coupé	92->
		M5 Touring	92->
		M5 B36	88->
		320is	89->91

F16089




Threading	Wrench	Pressure - Temperature	
Cylindrical M16X1,5	22		

SUITABLE		CITROEN		PEUGEOT	
CITROEN	91517505	BX 1,6	83->93	205 1,6 . 2,0i	83->94
	95635573	BX 1,9	87->93	405 1,6 . 1,6i . 1,8i . 2,0 . 2,0i	93->
PEUGEOT	0242.50	ZX 1,6i	91->		
		ZX 1,9i	91->		

F16090




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	21		

SUITABLE		CITROEN		PEUGEOT	
CITROEN	95631379	AX 954 . 1,1 . 1,3 . 1,4	86->	205 1,4	83->90
PEUGEOT	0242.61	BX 1,1 . 1,4i . 1,6 . 1,6i . 1,9	->93		

F16091




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	17		

SUITABLE		RENAULT	
CHRYSLER	T0767102	Espace 2,1 TD	85->90
	T1348143	5 1,6 GTD	85->89
RENAULT	7700686174	20 GTD	75->82
	7700767102		

F16092




Threading	Wrench	Pressure - Temperature	
Ø 20mm			

SUITABLE		AUDI		VOLKSWAGEN			
VOLKSWAGEN	025906041A	Coupé 2,0iE	90->	Caddy	83->	Passat	86->
ELTH	2690402	80 1,6. 1,9. 2,0	91->94	Corrado	83->	Polo	86->
		100 2,0iE	91->94	Golf	86->	Scirocco	83->90
				Jetta	86->	Transporter 2,0i. 2,5i	90->94
				LT 2,4	89->	Vento 2,8i VR6	92->

F16095




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	19		

SUITABLE		VOLVO	
VOLVO	1363331-8	740 2,0 740 2,3i	87->90 84->90

F16096




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE		VOLVO	
VOLVO	1362643-7	780 2,0i	85->
	3515272-7	940 2,0i Turbo 16V	90->
		960 2,0i Turbo 16V	90->
		960 3,0i 24V	90->

F16097




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	19		

SUITABLE		VOLVO	
VOLVO	3545031-1	850 GTL 2,4	91->
		960 3,0i 24V	90->

F16099




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE		DAF	PEGASO			
DAF	248180	615 Trucks	1060.1061.1080.1083	62->	2181/60. 3076 D Turbo	71->
MERCEDES	0015422317	825 Trucks	1080-50.1083-50.1086-50	71->	5020. 5022. 5051. 6030	63->75
PEGASO	550891	MERCEDES	1091.2010.2011.2080.3060	64->72	BUS 5720.20	67->
		L-406 D Trucks	1217 T1. 1231 T1	83->		
		207 D Trucks	1217.1223.2323 K T2	86->		
		307 D Trucks	2011-50. 2080-50. 3088	71->		

F16099S




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE

LOMBARDINI 9195.083.0

F16100




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	19		

SUITABLE		CITROEN		PEUGEOT	
CITROEN	133809	Jumper 1,9D . TD	94->	106 air cond.	91->
	96018426	Xantia air cond.	93->	306 air cond.	93->
PEUGEOT	1338.09	XM air cond.	89->	309 D air cond.	92->93
		ZX air cond.	91->	405 air cond.	93->
				605 air cond.	89->
				Boxer 1,6D . TD	94->

F16101




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE		ALFA ROMEO		CITROEN		PEUGEOT	
ALFA ROMEO	60576529	33 1,3ie	90->95	AX 1,1i . 1,4i	91->	106 1,1i . 1,4i	91->
CITROEN	95640493			BX 1,4i	87->93	205 1,1i . 1,6i	91->94
PEUGEOT	1920.C4			XM 2,0i . 3,0i	89->	306 1,1i . 1,4i	93->
				ZX 1,1i . 1,4i	91->	405 1,6i	87->92
				ZX 1,6i	91->	605 2,0i	95->
						605 3,0i	89->

F16104




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	19		

SUITABLE		PEUGEOT	
PEUGEOT	1131.40	505 2,1i Turbo	86->
		505 2,3 GRD.SRD Turbo	79->

F16108




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,25	13		

SUITABLE		NISSAN	
NISSAN	25080-70J00	Micra 1,0i 16V	92->
		Micra 1,3i 16V	92->
		Primeria 1,6	90->
		Primeria 1,6i	93->
		Primeria 2,0D	93->
		Primeria 2,0i	90->

F16111




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27 NPTF	13		

SUITABLE		FORD			
FORD	6145143 86VB10884BA	Escort 1,4	86->89	Granada 2,0 V6	85->
		Escort 1,4i	89->	Granada 2,3 V6. 2,8 V6	85->
		Escort 2,0. 2,0i	89->	Granada 2,9i V6 Cosworth	91->
		Fiesta 1,4	86->89	Orion 1,4	86->89
		Fiesta 1,4i	89->	Orion 1,4i	89->
		Granada 2,0. 2,0i	89->	Orion 2,0. 2,0i	89->
				Sierra 1,8	88->92
				Sierra 1,8D	90->93
				Sierra 1,8i	92->93
				Sierra 2,0i. 2,3i. 2,8i	87->
				P 100 1,8D	90->

F16112



Threading	Wrench	Pressure - Temperature	
Ø 20mm			

SUITABLE	
VOLKSWAGEN	251919501
ELTH	2690400

VOLKSWAGEN	
Golf 1,05. 1,3. 1,3i	85->87
Passat 1,6. 1,8	86->88
Passat 1,6D. 1,6TD	86->88
Polo 1,05	81->90
Polo 1,05i	90->
Polo 1,1	81->83
Polo 1,3	81->90
Polo 1,3i	86->90
Polo 1,3 D	86->90

F16114



Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE		ALFA ROMEO		FIAT		OPEL	
ALFA ROMEO	60523383	Alfa 6 2,5i	83->87	124 2000 Spyder Europa	79->86	Pick-Up D. TD	85->
	119111101000	Alfa 75 1,8ie	88->92	132 2000	79->82	Primera 2,0D	91->93
B.M.W.	13621357414	Alfa 75 2,5i V6	85->87	Argenta 2000 ie	81->86	Sunny 1,6i	85->87
FIAT	4393601	Alfa 90 2,0i V6	84->87	Regata 75ie. 100Sie	85->90	Sunny 1,7D. 2,0D	86->92
GENERAL MOTORS	09275979	Alfetta 2,0i	83->85	Ritmo-Strada 75ie	85->88	Terrano TD27T	89->93
	96060084	GTV 6 2,5i E	80->87	Uno 75ie	85->93	Terrano II 2,7TD	93->
NISSAN	11023G7000	B.M.W.		FORD		RENAULT	
	11023V0700	318. 318i	75->91	Maverick 2,7 TD	93->	Ascona B 1,9 E	76->81
	22630G2402	320i. 323i 6 cil.	82->84	LANCIA		Kadett C 1,9 GTE	75->77
	22630N4200	320 IC	83->84	Beta 2,0ie . Trevi 2,0ie	79->85	Manta A . B 1,9 GTE	74->77
	22630P8100	518i	81->88	Gamma 2,5ie. Coupé	86->	ALPINE	
	2263010G00	520i. 525i	81->91	Prisma 1,6ie. 2,0ie . 4WD	85->89	Alpine V6 Turbo	85->88
OPEL	1338443	528i	77->87	NISSAN		Fuego . R18 inj. Turbo	83->87
RENAULT	7700582688	M5	81->87	Bluebird	79->86	R25 TX . GTX	84->88
		628. 633. 635. CSI	78->88	Bluebird 1,8i Turbo	86->88	R25 V6i. V6i Turbo	84->92
		728i . 732ii	77->85	Bluebird 2,0D	86->90		
		733i . 735i . 745i	77->85	Laurel 2,4 SGLi	84->90		
		3,0 SL . 3,3i L	75->77	Patrol GR	88->91		
		CITROEN					
		CX 2400 Inj.	77->84				

F16115



Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE	
ALFA ROMEO	60513205
BOSCH	0280130026
B.M.W.	13621284397 13621709966
CITROEN	91514549
FIAT	5972332
GENERAL MOTORS	90018835 90080939 90410192 90510183
HYUNDAI	3922022010
OPEL	1338444 1338451 1338458
PEUGEOT	0242.46
RENAULT	7700267388
SAAB	4503132 9357021
SEAT	SE021947000E
VOLKSWAGEN	025906041

ALFA ROMEO	
Alfa 33 inj.	90->95
Alfa 75 2,0i TwinSpark	87->92
Alfa 155 1,7i. 1,8i. 2,0i	92->
Alfa 164 TwinSpark	87->
Alfa 164 3,0i V6	87->
SZ 3,0i V6	89->91
B.M.W.	
316i	86->88
316i. 318i	91->
320i. 323i 6 cyl.	84->88
320 IC	84->
320 IS	89->
325 E. 325 I	85->
520i. 525 E	83->
530i	87->
535i. M535i	83->
635 CSI	82->
730 I. 735 I. IL	88->
732i. 735i. 745i	82->87
935i	82->83
M3	92->
M5	89->
Z1	88->91

CITROEN	
AX 14 TGS. GT. Monopoin	93->
BX 19 GTI. GTI 16V	86->93
C 15 E 1,4i	95->
CX 25 inj. Turbo	83->89
Saxo 1,0i. 1,6i	96->
Visa 1,6 GTI	85->89
XM 2,0 inj.	89->
ZX 1,4i	93->
ZX 1,9i Volcane	91->92

FERRARI	
348 3,4i	90->94

FIAT	
Barchetta 1,8i 16V	95->
Croma 2,0 ie. Turbo ie	85->
Croma 2,0 ie 16V	91->
Croma 2,5 V6	93->
Punto 1,4 GT Turbo	94->
Tempra 1,8 ie	90->

Tipo 1,8 ie 16V	89->92
Uno Turbo ie 1301	85->88

HYUNDAI	
S Coupé 1,5i	92->

INNOCENTI	
Elba 1,4i. 1,6i	93->

ISUZU	
Amigo 2,6i	88->
Rodeo 2,6i	90->
Trooper II 2,6i	87->91

LANCIA	
Dedra 2,0 ie	89->
Kappa	95->
Thema 2,0 ie. Turbo ie	85->
Y10 GT ie. LX ie	88->

OPEL	
Ascona 1,8i. 2,0i	79->88
Astra D	92->
Calibra	89->
Commodore C 2,5i	81->86
Corsa 1,4i	93->
Corsa 1,6 GSI	88->93
Corsa 1,6 GSI 16V	93->
Frontera 2,0i. 2,4i	92->
Kadett 1,8i. 2,0 GSI. 1,6 V	77->91
Manta B 2,0i. GTE. GSI	77->88
Monza A 2,0i. 2,5i. 3,0i	78->84
Omega 1,8i. 2,0i	86->
Rekord E 1,8i. 2,0i	86->
Senator A 2,2i. 2,5i. 3,0i	83->87
Senator B 2,5i. 3,0i	88->93

PEUGEOT	
106 0,9i. 1,1i. 1,3i	91->92
106 1,0i. 1,6i	96->
205 1,6 GTI. 1,9 GTI	83->93
305 inj.	86->88
306 1,6i	93->
309 1,1i. 1,2i	89->93
309 GTI 1,6. 1,9. 1,9 16V	86->93
405 1,4i GL	93->
405 1,9i GRI. SRI. MI 16	87->93
505 GTI. STI. Inj. Turbo	84->91
605 2,0 SRI. SVI	89->90

PORSCHÉ	
911 3,3i	90->92
911 3,6i	93->94
924S	83->
924 2,5i	85->88
944 2,5i. 2,7i. 3,0i	81->91
959 2,8i	86->88

RENAULT	
R 25 Inj.	84->92

ROLLS ROYCE	
Corniche 6,8i	93->
Turbo R 6,8i	93->

SAAB	
900 Turbo 16	84->
900 2,5 V6i	94->
9000 Turbo 16	84->
9000 2,0i 16V Turbo	90->
9000 2,3i 16V Turbo	90->

SKODA	
Favorit 1,3i	89->94

SEAT	
Ibiza 1,2i	90->92
Ibiza 1,5 SXI iNj.	87->92
Malaga GLX	90->92
Malaga 1,5i	87->91

VAUXHALL	
Astra 1800 GTE	84->87
Astra 1,8 SRI. 2,0 GTE	87->
Cavalier 1,8i	82->88
Royale 2,8i. 3,0i	78->83


VOLKSWAGEN	
Caravelle Carat inj.	83->
Transporter Type 2 inj.	84->90

VOLVO	
340i. 360i	82->
760i Turbo	83->84
760 Turbo B23ET	84->90

YUGO	
1,1i. 1,3i	89->93

F16116



Threading	Wrench	Pressure - Temperature	
Conical 3/8x18 NPTF	19		

SUITABLE	
CHRYSLER	330042.81
DAEWOO	25036979
GENERAL MOTORS	25036979
	25037082
ISUZU	8250369790
OPEL	1338450


DAEWOO	
Espero 1,8i . 2,0i	94->
HONDA	
Passport 3,2i	94->

ISUZU	
Pick-Up 3,1 i V6	90->
Rodeo 3,1 i V6	90->92
Rodeo 3,2 i V6	92->
Trooper 3,2 i V6	92->
Trooper II 3,2 i V6	88->91

OPEL	
Monterey 3,2 i V6 24 valv.	92->

F16117




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	21		

SUITABLE		OPEL		RENAULT		
GENERAL MOTORS	91159949	Movano 2,5D-2,8DTI	98->	Avantime 2,0 16V	01->03	Master II 2,5D-2,8DTI 97->
NISSAN	22630-00QAB	Vivaro 2,0 16V	01->	Clio II	98->	Megane 1,4-1,6-2,0 16V 97->
OPEL	4408333			Espace III 2,0 16V	98->02	Scenic 1,6-1,8-2,0 16V 99->
RENAULT	7700101968			Espace IV 2,0 turbo	02->	Trafic 2,0 01->
	7700113867			Kangoo	98->	Twingo 1,0-1,2 16V 96->
	8200561449			Laguna 1,6-1,8-2,0 16V	97->	Vel Satis 2,0 16V 02->

F16118




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE		MERCEDES	
MERCEDES	0055450324	190 D 2,0	90->93
		190 D 2,5	85->88
		190 TD 2,5	89->93
		200 D . TD	87->93
		250 D . TD	87->93
		E 200 D . TD	94->

F16121




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27 NPT	13		

SUITABLE		FORD	
FORD	6146863	Granada 2,5 D	87->90
	85BB10884AA	Scorpio 2,5 D	87->90
		Sierra 2,3 D	87->90

F16122




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27 NPT	13		

SUITABLE		FORD					
FORD	1657685 89FB-10884-AA	Escort 1,1 Escort 1,3 Escort 1,3i Fiesta 900	80-> 86-> 91-> 76->89	Fiesta 1,0 Fiesta 1,1 Fiesta 1,1i Fiesta 1,3 Fiesta 1,3i	89-> 76-> 89-> 91-> 89->	Granada 2,4i V6 Granada 2,9i V6 Orion 1,1 . 1,3 Orion 1,3i Sierra 2,9i V6	82-> 82-> 80-> 91-> 88->93

F16123S



Threading	Wrench	Pressure - Temperature	
Conical 1/1x14NPTF	22		


SUITABLE

SAN GIORGIO

SEIN VSG 40018/2

F16125



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE


MERCEDES 0085424517

MERCEDES

C180. C200. C200D. C220.
C280
E200. E200D. E220. E250TD
E280. E320. E420. E500
S280. S320. S420
S500. S600
SL280. SL320. SL500
200. 220. 250
280. 300. 320
400. 500. 600

F16126




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE
MERCEDES 0085425617

MERCEDES
 300 D . TD **87->93**
 300 GD 4x4 **87->93**
 C220 D **93->**
 C250 D **93->"**

F16129




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE	ALFA ROMEO	LANCIA	OPEL
CAPPUCCIO COLORE BLU	155 2,0i Turbo 16V Q4 92->	Dedra 1,6i. 1,8i. 2,0i 89->	Astra 1,8i 16V 91->
ALFA ROMEO 60806379	FIAT	Delta 1,6i . 1,8i . 2,0i 86->	
FIAT 46477022	Cinquecento 898i.903i.1,1 93->	Kappa 2,0i . 2,4i 95->	
4850371	Coupé 2,0i 85->	Prisma 1,6i . 2,0i 4X4 86->89	
7547977	Croma 2,0i 85->	Thema 2,5 TDS 88->94	
FORD V86HF12A648AA	Panda 91->		
1639283	Punto 91->		
GENERAL MOTORS 90411977	Tempra 1,8i . 2,0i 89->		
MARELLI WTS-05	Tipo 1,8i . 2,0i 89->		
OPEL 1342850	Uno 994i SPi 91->		

F16132




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27 NPT	13		

SUITABLE		FORD	
FORD	C4AH10884	Escort all models	80->91
	1640040	Fiesta all models	76->
	1784077	Orion all models	80->
	6076967	Sierra all models	84->93
	81AB10884AA	Transit V4 1,7. 2,0	65->70
	84AB10884BA		


F16133




Threading	Wrench	Pressure - Temperature	
Cylindrical M8x0,75	13		

SUITABLE		MAZDA	
MAZDA	856918510A E7GZ10884B	626 2,0. 2,0i.2,0iTurbo 929 2,0.2,2.3,0 V6	86->87 86->91

F16134




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	13		

SUITABLE		VOLVO	
VOLVO	1257216	740 D	84->90
	3517501	760 D GLE	82->90
	3517501-7	780 D	86->90
		940 D	90->
		960 D	90->

F16135




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	19		

	SUITABLE	IVECO
IVECO	4746856	370. 470. 570. 670

F16136




Threading	Wrench	Pressure - Temperature	
Ø 20mm			

SUITABLE	
VOLKSWAGEN	357919501A
ELTH	2690701

SEAT	
Alhambra	96->
City Golf	94->
Cordoba 1,4i.1,6i.1,8i	93->
Ibiza 1,3.1,3i.1,4i.1,6i	93->
Ibiza 1,8i.2,0i	93->
Inca 1,4i.1,6i	96->
Toledo 1,8i.2,0i.1,9TDI	91->

VOLKSWAGEN	
City Golf	92->
Golf	92->
Passat 1,8i.2,0i.2,0i 16V	92->
Passat 2,8 VR6	92->
Polo 1,05i. 1,6i	95->
Vento	92->''

F16137



Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE	
CAPPUCCIO COLORE VERDE	
ALFA ROMEO	60573388 60812240 7738223
BOSCH	028013055
B.M.W	13622242184
CHRYSLER	4720598
FIAT	7738223
FORD	7072695
GENERAL MOTORS	90487859
OPEL	1338454 1342852
ROVER	MVK10002
SAAB	7563562


ALFA ROMEO	
145 1,4 ie., 1,6 ie.	96->01
145 1,8 ie.	96->98
155 2,0 TD	93->
164 Super 2,5 TD	92->
164 2,5 TD	88->92
B.M.W.	
325 TD. TDS	91->
524 TD. TDS Touring	91->

FIAT	
Brava 1,8 GT	95->01
Brava 1,9 TD	96->01
Bravo 1,8 GT	95->01
Bravo 1,9 TD	96->01
Coupé 2,0	96->
Marea 1,8 115	96->
Marea 1,9 TD, 2,4 TD	96->
FORD	
Scorpio 2,5 TD	93->98
LANCIA	
Dedra 1,8	96->99
Delta II 1,8 ie.	96->99
Kappa 2,0	96->01
Kappa 2,4 TD	94->01

LAND ROVER	
Range Rover II 2,5 D	94->02
OPEL	
Frontera 2,5 TDS	96->98
Omega B 2,5 TD	94->03
ROVER	
825 D/SD	90->99
SAAB	
9000 2,0 16 Turbo	84->93

F16138




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE		CITROEN		FIAT	
CITROEN	1920K9	AX954i	91->	Ulisse 2,0i	94->
FIAT	9613147080	Jumper D. TD	94->	PEUGEOT	
PEUGEOT	1920-K9	Jumper 2,0i	94->	106 1,3i	91->
		Xantia 1,6i. 1,8i. 2,0i	91->	306 1,08i. 2,0i	91->
		XM 2,0i. 2,0i Turbo	89->	306 2,0i 16V	93->
		XM 2,5 TD	95->	Boxer 2,0i	94->
		ZX 1,6i. 1,8i. 2,0i	91->		
		ZX 2,0i 16V	91->		

F16140




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	22		

SUITABLE		CITROEN		FIAT		PEUGEOT	
CITROEN	96164554	Evasion 2,0i Turbo air cond.	94->	Ulysse 2,0i Turbo air cond.	94->	605 2,0i Turbo	91->
FIAT	9616455480	Xantia 2,0i Turbo air cond.	95->	LANCIA		806 2,0i Turbo	94->
PEUGEOT	1338.34	XM 2,0i Turbo air cond.	92->	Zeta 2,0i Turbo	94->		

F16142




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27NPT	13		

SUITABLE		FORD	
FORD	6053990	Granada 1,9D	77->81
		Granada 2,1D	77->81

F16144



Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	13		


SUITABLE
VOLKSWAGEN 1H0919563

SEAT
Ibiza all models **93->**

VOLKSWAGEN
Corrado 2,0i **93->**
Corrado 2,9i **91->**
Golf all models **92->**
Passat all models **91->**
Vento all models **92->**

F16145




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	19		

SUITABLE		FIAT	
FIAT	4067872	1300	->70
		1500	->70

F16146




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE

FIAT IVECO 500310148
BERU 4857250

F16146L




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE

LOMBARDINI 91955390

F16147




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE

FIAT IVECO 500310147
BERU 4857248

F16149



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE

SAN GIORGIO

SEIN VSG 40022

F16149F120



Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	19		


SUITABLE

SAN GIORGIO SEIN

VSG40018HIM

F16149B120



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22		


SUITABLE

SAN GIORGIO

SEIN VSG 40018/PI

F16149G120



Threading	Wrench	Pressure - Temperature	
Conical 3/8x18NPTF	19		


SUITABLE

SAN GIORGIO

SEIN VSG 40018/1H

F16149S



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		


SUITABLE

SAN GIORGIO

SEIN VSG 40019

F16149S120



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		


SUITABLE

SAN GIORGIO

SEIN VSG 40018

F16150L




Threading	Wrench	Pressure - Temperature	
Conical 1/8 GAS	13		

SUITABLE

CEV 304300807

F16150S




Threading	Wrench	Pressure - Temperature	
Conical 1/8 GAS	13		

SUITABLE

CEV 304300806

F16151




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	13		

SUITABLE

CEV 304300801C

F16154




Threading	Wrench	Pressure - Temperature	
Cylindrical 1/8x27 NPTF	19		

SUITABLE		FORD	
FORD	6193368	Escort 1,6i. 1,8i 16V	92->
	91AB10884AA	Escort 2,0i 16V	91->
		Fiesta 1,8i 16V	92->
		Granada 2,0i 16V	91->
		Mondeo 1,6i. 1,8i. 2,0i 16V	93->
		Orion 1,6i. 1,8i 16V	92->

F16156



Threading	Wrench	Pressure - Temperature	
Ø 20MM			


SUITABLE	
VOLKSWAGEN	357919501
ELTH	2690700

SEAT	
Alhambra 1,9 TD	96->
Cordoba 1,9 D . TD	93->
Ibiza 1,9 D . TD	93->
Inca 1,9 D . SDI	96->
Toledo 1,9 D. TD	91->

VOLKSWAGEN	
Golf 1,9 D . TD	92->
Passat 1,9 D . TD	92->
Polo 1,9 D	95->
LT 2,4 D	92->
Vento 1,9 D . TD	92->

F16161



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22		


SUITABLE


MERCEDES 0095423517

MERCEDES

C180. C200. C220. C280
 E200. E220. E280. E320
 S280. S320
 200 CE . E . TE
 220 CE . E . TE
 280 E . TE
 300 SE 2,8
 320 CE 2,8
 320 E . 320 TE 2,8

F16162



Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19	thermistor double	

SUITABLE
RENAULT 7700737571

RENAULT

Clio 1,2i . 1,4i	90->
Clio 1,8i 16V. 2,0i 16V	92->
Espace 2,0i . 2,2i	91->
Laguna 1,8i . 2,0i . 3,0i V6	94->
Safrane 2,0i . 2,2i . 3,0i V6	92->
Twingo 1,2i	93->
5 1,7i	85->92
19 1,8i 16V	89->
25 2,0i . 2,8i V6	84->92

F16163




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE		ALFA ROMEO		OPEL		VOLVO	
ALFA ROMEO	60800522	Alfa 75 1,8ie Turbo	88->92	Astra 2,0i GSI 16V	92->	440 1,7i. 1,7i Turbo	88->
		Alfa 155 2,5i V6	92->	Monza A 2,2i. 2,5i. 3,0i	87->94	460 1,7. 1,7i Turbo	89->
		Alfa 164 2,0i Turbo V6	87->92	Omega 3000 GSI	84->86	740 2,0i. 2,0i Turbo	84->90
		Alfa 3,0i V6 Super	92->	Rekord E 2,2i	83->87	740 2,3. 2,3i Turbo	84->90
GENERAL MOTORS	90183892	B.M.W.		Senator A 2,2i. 2,5i. 3,0i	88->93	760 2,3i Turbo. 2,8i V6	84->90
	90410793	Motorcycles		Senator B 2,5i. 3,0i	87->93	780 2,0i Turbo. 2,8i V6	87->90
OPEL	1338446	FERRARI		PORSCHE		940 2,0i. 2,0i Turbo	87->90
	1338452	Testarossa 4,9i		928 S	83->	940 2,3i. 2,3i Turbo. 2,8i	90->
SAAB	8788200			SAAB		960 2,0i. 2,0i Turbo	90->
VOLVO	13460308			9000 2,0i 16V. 2,3i 16V	90->	960 2,3i. 2,3i Turbo	90->
	34334771			VAUXHALL		960 2,9i 24V	90->
				Carlton 3,0 GSI	86->93		
				Senator 2,5i	86->93		

F16165




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	13		

SUITABLE

CEV 304300805

F16167




Threading	Wrench	Pressure - Temperature	
Conica 1/8X27 NPTF	13		

SUITABLE		DAEWO		OPEL	
DAEWO	92061480	Aranos 1,8	95->97	Astra F 1,6	94->98
GENERAL MOTORS	92061480	Aranos 2,0	95->97	Astra F 1,8i	91->94
	92063941	Espero 1,8	95->99	Frontera B 2,2i	98->
ISUZU	8920614800	Espero 2,0	95->99	Vectra B 1,6i	95->02
	8920639410			Vectra B 2,0i	95->00
OPEL	851075				
	5851969				

F16171




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE		NISSAN	
NISSAN	22630D9701	Maxima 3,0i	94->
	22630D9702	Micra 1,0i 16V	92->
	2263044B10	Micra 1,3i 16V	92->
	2263099B00	Primera 1,6i. 2,0D. 2,0i	93->
	2263099B10	Serena 1,6i. 2,0D. 2,0i	92->

F16172




Threading	Wrench	Pressure - Temperature	 PTC
Cylindrical M14x1,25	19		

SUITABLE		CITROEN		FIAT		PEUGEOT	
CITROEN	1338.10	AX 1,4	06/91->12/96	Ducato	03/94->	106	09/91->
	1338.55	Berlingo	07/96->	Scudo	02/96->	306	05/93->
	1338.56	Evasion	02/94->07/02	Ulysse	06/94->08/02	405	08/92->
	1338.84	Jumper	02/94->07/02	LANCIA		406	11/95->05/04
	96033248	Jumpy	10/95->	Zeta	05/98->07/00	605	06/89->09/99
FIAT	9603324880	Saxo	09/00->			806	06/94->08/02
	9621000680	Xantia	03/93->			Boxer	03/94->24/02
PEUGEOT	1338.10	XM	05/89->			Expert	02/96->
	1338.55	XSara	04/97->			Partner	06/96->
	1338.56	ZX	03/91->			Ranch	05/96->
	1338.84						

F16173





Threading	Wrench	Pressure - Temperature	
Conical 1/2x14 NPTF	22		

SUITABLE	
IVECO	504025599
CNH AMERICA	87439535
CNH ITALIA	2852157

IVECO	
	Motori NEF
CNH AMERICA	
	Motori CNH NEF

F16173M




Threading	Wrench	Pressure - Temperature	
Conical 1/2x14NPTF	22		

SUITABLE

CNH LA 5801448320

F16175




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE

LOMBARDINI 1779195094

F16176




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE		ALFA ROMEO		FIAT	
CAPPUCCIO COLORE NERO	145 1,4 ie	94->96		Punto 75 1,2 MPi	93->
ALFA ROMEO 46449499	146 1,4 ie	94->96			
FIAT 60809565	33 1,4 ie	91->94			
MARELLI WTS-09					

F16180




Threading	Wrench	Pressure - Temperature	
Cylindrical M10X1	19		

SUITABLE	
BOSCH	0280 130 053
VOLKSWAGEN	034906161

AUDI	
Coupé Quattro 2,3	89->
Coupé 2,3i E	88->
80 Quattro 2,3i	91->94
80 2,0i E	91->94
80 2,3i E	87->94
100 2,0i E	88->91
100 2,3i E	91->94
100 2,3i E	88->91


F16183




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE		FIAT	
FIAT	46414596	Bravo-Brava 1,6i 16V	95->
		Marea 1,6i 16V	96->
		Palio 1,6i	97->
		Palio 1,6i 16V Weekend	97->
		Siena 1,6i	97->
		LANCIA	
		Delta 1,6 ie 16V	93->

F16185




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE		ALFA ROMEO	
ALFA ROMEO	60812439	145 1,9 TD	94->96
		146 1,9 TD	97->
FIAT	7663320	155 1,9 TD	96->97

F16186




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	19		

SUITABLE		ALFA ROMEO		FIAT		LANCIA	
ALFA ROMEO	46469865	145 1,9JTD	97->	Brava 1,9JTD	97->	Lybra 1,9 JTD. 2,4 JTD	99->
	46472179	146 1,9JTD	97->	Bravo 1,9JTD	97->		
	60814715	156 1,8i 16V TwinSpark	97->	Marea 1,9JTD	97->		
BOSCH	0281 002 209	156 2,0i 16V TwinSpark	97->	Multipla 1,9 JTD.2,4JTD	98->		
FIAT	60814715	156 1,9 JTD. 2,4 JTD	97->				
GENERAL MOTORS	90541937	166 2,4 JTD	98->				
OPEL	6235605						

F16188




Threading	Wrench	Pressure - Temperature	
Ø 20mm			

SUITABLE		RENAULT	
RENAULT	7700865290	Clio 1,9 D	98->
ELTH	2690405	Espace 1,9 dTi	97->
		Espace 2,0i	96->
		Kangoo 1,9 D	97->
		Laguna 1,8i . 2,0i	94->
		Laguna 1,9 TD	97->
		Megane Break 1,9 TD	99->
		Megane Cabrio 2,0i	96->
		Megane Cabrio 2,0i 16V	96->
		Megane Classic 1,9 dTi	97->
		Megane Classic 1,9 TD	96->
		Megane Coach 2,0i	96->
		Megane Coach 2,0i 16V	96->
		Megane Scenic 1,9 dTi	97->
		Megane Scenic 1,9 TD	96->
		Megane Scenic 2,0i	96->

F16189



Threading	Wrench	Pressure - Temperature	
Conical M18x1,5	19		


SUITABLE
CAPPUCCIO
COLORE AZZURRO
BOSCH 0280 130 066
FIAT 7669143

FIAT
 Tempra 1,4i S,SX,SLX **93->96**
 Tempra 1,6i S,SX **93->96**
 Tipo 1,4i - 1,6i S.SX **93->96**

LANCIA
 Dedra 1,6ie, 1,8ie, Cat. **89->94**
 Delta 1,4i SPI, 1,6i SPI **93->96**
 Dedra 1,6i Monomotronic **89->94**
 Delta 1,4 ie . 1,6 ie **93->**

F16191




Threading	Wrench	Pressure - Temperature	
Ø 20mm			

SUITABLE	AUDI	SEAT	VOLKSWAGEN
VOLKSWAGEN 078919501C	A3 97->	Cordoba 1,6i , Vario 99->02	Golf IV 2,3i V5 4Motion 98->00
	A3 T. A3 Quattro 97->	Cordoba 1,9 SDI-TDI, Vario 99->02	New Beetle 1,9 TDI 98->01
	A4 . A4 T 95->00	Ibiza 1,6i 99->02	New Beetle 2,0i 10V 98->
	A4 Quattro, Avant 95->00	Ibiza 1,8 T 20V Cupra 00->02	Passat 1,6i 97->00
	A6. A6 T 97->	Ibiza 1,9 SDI-TDI 99->02	Passat 1,8i, Syncro 97->00
	A6 Quattro, Avant 98->	Toledo 2,3i V5 99->01	Passat 1,9 TDI, Syncro 97->00
	A8 . A8 Quattro 96->		Passat 2,3i VR5, Syncro 97-00
	TT 1,8T, Quattro, Cabrio 99->		Passat 2,8i V6, Syncro 96->00
			Passat Variant 97->00 "

F16193




Threading	Wrench	Pressure - Temperature	
Ø 20mm			

SUITABLE		FORD		SKODA		VOLKSWAGEN	
VOLKSWAGEN	06A919501	Galaxy 1,9TD	96->	Fabia 1,0i Combi	01->	Bora 1,6i Variant	99->
ELTH	2690413	MERCEDES		Fabia 1,2i	02->	Golf IV 1,6i Variant	97->
FORD	1100736	V280	97->	Fabia 1,4i	00->	Golf IV 1,6i 16V	02->
	XM21-10884-BA	SEAT		Fabia 1,9 SDI-TDI	00->	Golf IV 1,6 FSI Variant	02->
MERCEDES	0135427817	Alhambra 1,8 20V T	97->	Octavia 1,6i Combi	00->	Passat 2,3i VR5 Variant	01->
		Alhambra 1,9 TDI	96->	Octavia 1,9 TDI 4x4	00->	Passat 4,0i , 4Motion	01->
		Alhambra 2,0 i	96->			Touran 1,6i	03->
						Touran 1,6 FSI	03->
						Touran 1,9 TDI	03->

F16194



Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	19		


SUITABLE

SAN GIORGIO

SEIN VSG 40144

F16195R




Threading	Wrench	Pressure - Temperature	
Cylindrical M12 x1,5	19		

SUITABLE

LOMBARDINI 8089170

F16195RB




Threading	Wrench	Pressure - Temperature	
Cylindrical M12 x1,5	19		

SUITABLE

LOMBARDINI ED0080891940

F16197A




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19		

SUITABLE

**SPECIAL APPLIANCE
MOTORI MINARELLI**

F16198




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	21	thermistor double	

SUITABLE
FIAT **46474600**

FIAT
Palio 1.0-1.4 **96->**
Siena 1.4 **96->"**

F16201




Threading	Wrench	Pressure - Temperature	

SUITABLE		AUDI		SEAT		SKODA	
FORD	1100619	A2	00->	Alhambra 1,9TDI	00->	Octavia	96->
	1124770	A3	96->	Arosa	97->	Superb	02->
SEAT	059919501A	A4	95->	Cordoba	99->	VW	
SKODA	059919501A	A6	97->	Ibiza III	99->	Bora	98->
VW	059919501A	A8	97->	Inca	95->	Caddy II	95->
		TT	98->	Leon	99->	Golf IV	99->
		FORD		Toledo II	99->	Lupo	98->
		Galaxy 1,9TDI	95->			New Beetle	98->
						Passat	00->
						Polo	97->
						Sharan	95->
						Transporter IV	90->

F16201V




Threading	Wrench	Pressure - Temperature	
Cylindrical D. 20 mm	-	doppio termistore	

SUITABLE

VW 059919501A
FORD 1100619
 1124770
 XM21-8A570-BA

F16202



Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	21	thermistor double	

SUITABLE		ALFA ROMEO		FIAT		LANCIA	
ALFA ROMEO	46474712	ALFA ROMEO		Barchetta	95->	Dedra 1,6 16V	96->
	60814402	145	96->	Brava	95->	Delta II 1,6 16V	96->
FIAT	46474612	146	96->	Bravo	95->	Kappa	94->
	46474613	156	97->	Coupé	96->		
		166	98->	Marea	96->		
		GTV	98->	Palio 1,6 16V	96->		
		Spider	98->	Punto	97->		
				Siena 1,6 16V	97->		

F16203



Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	21	thermistor double	

	SUITABLE	ALFA ROMEO	FIAT	LANCIA
ALFA ROMEO	46753479	147 1,6 16V	01-> Barchetta 1,8 16V	95-> Lybra 1,6-1,8 16V 99->
	60816476	147 2,0 16V	01-> Brava 1,2-1,6 16V	00-> Lybra 2,0 20V 00->
FIAT	46753479	156 1,6-1,8 16V	97-> Brava 1,9 JTD	00-> Lybra 1,9 JTD 00->
	71718201	156 1,9 JTD	00-> Bravo 1,2-1,6 16V	00-> Lybra 2,4 JTD 00->
MARELLI	40238601	156 2,0	00-> Bravo 1,9 JTD	00-> Thesis 2,0 turbo 02->
		156 2,4 JTD	00-> Marea 1,6 16V	00-> Thesis 2,4 02->
		156 2,5	00-> Marea 1,9 JTD	01-> Thesis 3,0-3,2 V6 02->
		156 3,2	02-> Marea 2,0 150 20V	01-> Yz1,2 96->
		166 2,0	00-> Multipla 1,6 16V	
		166 2,4 JTD	00-> Multipla 1,6 Bipower	01->
		166 2,5-3,0-3,2 V6 24V	00-> Multipla 1,6 Blupower	99->
		GT 2,0 JTS	04-> Multipla 1,9 JTD	01->
		GT 3,2 V6 24V	04-> Palio 1,6 16V	01->
		GT 2,0 JTS	03-> Palio 1,9 D	01->
		GTV 2,0 T.SPARK 16V	95-> Panda 1,1 ie 4x4	00->
		GTV 3,0-3,2 V6 24V	00-> Punto 1,8 16V	03->
		SPIDER 2,0 JTS	03-> Siena 1,6 16V	00->
		SPIDER 2,0 T.SPARK	95-> Siena 1,9 D	02->
		SPIDER 3,0-3,2 V6	00-> Stilo 1,8 16V	01->
			Stilo 2,4 20V	01->
			Strada 1,2	01->
			Strada 1,9 D	00->

F16205




Threading	Wrench	Pressure - Temperature	
Cylindrical M12x1,5	21		

SUITABLE		ALFA ROMEO			OPEL		
ALFA ROMEO	46554621	147 1,6 T.Spark Eco	01->	Palio 1,6 16V	01->	Agila 1,3 CDTI	03->
	55188058	147 1,9 JTD - JTD 16V	01->	Palio 1,9 D - JTD	02->		
FIAT	46554621	159 1,9 JTD-JTDM	05->	Panda 1,3 JTD	03->	Astra H 1,9 CDTI	04->
	55188058	159 2,4 JTD-JTDM	05->	Punto 1,2 16V 80	99->	Corsa C 1,3 DTI- CDTI	03->
	77363457	Brera 2,4 JTD	06->	Punto 1,2 16V	03->	Meriva 1,3 CDTI	03->
GENERAL MOTORS	93177344	GT 1,9 JTD	03->	Punto 1,2 60	99->	Signum 1,9 CDTI	04->
	93184155	Spyder 2,4 JTDM	06->	Punto 1,3 JTD 16V	03->	Vectra C 1,9 CDTI	04->
OPEL	6338023			Punto 1,3 MJ 16V	03->	Vectra C GTS 1,9 CDTI	04->
	6338038			Punto 1,4 - 1,4 16V	03->	Zafira 1,9 CDTI	05->
SUZUKI	14650-79J50-000	FIAT		Punto 1,9 D 60- DS 60	99->		
	13650-84E50-000	500 1,3 D Mj	07->	Punto 1,9 JTD- JTD 80	99->	SUZUKI	
	13650-84E51-000	500 1,3 Mj 16V	07->	Punto 1,9 MJ	03->	Ignis II 1,3 DDiS	03->
		Bravo 1,9 D Mj	07->	Sedici 1,9 D Mj	06->	Swift III 1,3 DDiS	05->
		Croma 1,9 D Mj	05->	Sedici 1,9 JTD 8V	06->	SX4 1,9 DDiS	06->
		Croma 1,9 JTD	05->	Siena 1,2 16V	02->	Wagon R+ 1,3 DDiS	03->
		Croma 2,4 D Mj	05->	Siena 1,3 JTD	02->		
		Doblò 1,3 D Mj	05->	Siena 1,5	02->		
		Doblò 1,3 JTD	05->	Siena 1,6 16V	02->		
		Doblò 1,6 16V	01->	Stilo 1,2 16V	02->		
		Doblò 1,6 Nat.Power	02->	Stilo 1,4 16V	04->		
		Doblò 1,9 D - JTD	01->	Stilo 1,6 16V	01->		
		Grande Punto 1,3D Mj	05->	Stilo 1,9 D Mj	05->		
		Grande Punto 1,9D Mj	05->	Stilo 1,9 JTD	03->		
		Grande Punto 1,9 JTD	05->	Strada 1,3 D Mj	06->		
		Idea 1,2 16V	04->	Strada 1,9 JTD	02->		
		Idea 1,3 D Mj	05->				
		Idea 1,3 JTD	04->	LANCIA			
		Idea 1,4 - 1,4 16V	04->	Musa 1,3 Mj	04->		
		Idea 1,9 JTD	04->	Musa 1,9 Mj	04->		
		Linea 1,3 D Mj	07->	Thesis 2,4 JTD	02->		
		Linea 1,3 JTD	07->	Ypsilon 1,2 - 1,2 16V	03->		
		Palio 1,2-1,2 16V	01->	Ypsilon 1,3 JTD	03->		
		Palio 1,5	04->	Ypsilon 1,4	03->		

F16210




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	19		

SUITABLE
FIAT 853034
 909944

Autocarri
 615, 616, 642, 682
OM
 Daino, Leoncino

F16214




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	19		

SUITABLE

IVECO 4840434

F16221




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	19		

SUITABLE

CNH 47891731

F16500




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	22	115°C	

	SUITABLE	FIAT	LANCIA
FIAT	4824207 5969930 7762302	Croma 1,9 TD id Croma 2,5 D . TD Ducato TD Ducato 1,9 D . TD Talento D	87-> 85-> 86->93 94-> 89->94
			Dedra TD Delta Prisma Thema TD 2,5 Y10
			89->94 83->92 86->89 86->91 85->95

F16502




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	110°C	

SUITABLE

LOMBARDINI 919510801

F16504




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	22	112°C	

SUITABLE

IVECO 504094913

F16504I




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	22		

SUITABLE
IVECO 98459006

IVECO
DAILY

F16507




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	19	115°C	

SUITABLE		RENAULT	
RENAULT	7700755595	Espace 2,0 . 2,2	84->86
	7700767751	Espace 2,2i	87->
		19 1,9 GTD . TD . TDE	88->

F16509




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	22	120°C	

SUITABLE		ALFA ROMEO	FIAT	LANCIA
ALFA ROMEO	60806378 7762300	155 2,0i Turbo 16V Q4 92->	Croma 1,6 CHT 85->90 Croma 2,0 CHT 85->92	Dedra 1,6i 89->94 Delta 1,4i SPi. 1,6i SPi . LE 93->
FIAT	60809521 7553258		Croma 2,0i 85-> Croma 2,0i Turbo 85-> Tipo 1,1i SPi. S . SX 93->	Delta 2,0i 87->94 Prisma 2,0i 4x4 86->89 Thema 2,0i 88->92 Thema 8.32 86->91 Y10 1,1i SPi . 4WD 92-> Y10 1,3i MPi 92->

F16510




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	22	125°C	

SUITABLE		RENAULT			
RENAULT	7700758464	Clio 1,1 . 1,2 . 1,4	90->	19 1,2 . 1,4 . 1,7	89->
	7700786467	Clio 1,7 . 1,8i	90->	21 Nevada	89->
		Espace 2,0. 2,2i. 2,85i	85->	21 1,4.1,6.1,7.1,9.2,0	89->
		5 1,4 . 1,6 . 1,7i	85->92	25 2,0 . 2,0i	84->92
				Trafic 1,4 . 1,7 . 2,1D	89->

F16511




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	22	118°C	

SUITABLE		LANCIA	
FIAT	7553635	Thema 2,8i V6	84->88
		Thema 3,0i V6	88->92
		IN ESAURIMENTO"	

F16515



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	115°C	

SUITABLE

MERCEDES


MERCEDES

0025427317
0045425617
0075420917

Trucks

F16516



Threading	Wrench	Pressure - Temperature	
Conical M14x1,25	19	120°C	


SUITABLE
FIAT 9618958880

FIAT
 Ulisse 2,0i Turbo **94->**

LANCIA
 Zeta 2,0i Turbo **94->**


F16517




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	19	117°C	

SUITABLE	BMW
B.M.W. 12621716137	Serie 6 89->

F16521




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	20	110°C	

SUITABLE		CITROEN		FIAT		PEUGEOT	
CITROEN	1338.33	Jumper 2,0i	94->	Ducato 2,0i	94->	205 1,7D . 1,9D	91->94
FIAT	9608913880	ZX 1,6i . 1,9i	91->			309 1,7D	92->93
PEUGEOT	1338.33					405 1,6 . 1,6i	93->
						405 1,9D	87->
						405 2,0 . 2,0i	93->

F16522




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	24	120°C	

SUITABLE		RENAULT					
RENAULT	7700810879	Clio 1,2 . 1,2i . 1,4 . 1,4i Clio 1,8i . 2,0i	90-> 92->	Clio 1,9D 19 all models 21 Nevada 2,1 TD	90-> 87->	21 2,1 TD DX . TXE Express 1,4 . 1,4i Trafic 2,1 D	89-> 85-> 89->

F16523




Threading	Wrench	Pressure - Temperature	
Conical M14x1,25	22	120°C	

SUITABLE		RENAULT					
RENAULT	7700778782	Alpine 2,5i Turbo	85->	19 1,8i 16V Cabrio	91->	Trafic 2,0	89->
		Alpine 2,85i V6 GT	85->	25 2,5i V6 Turbo	84->92	Trafic 2,2i	89->
		19 1,8i 16V	89->	25 2,7i	84->92		
				25 2,85i V6	84->92		

F16524




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	20	115°C	

SUITABLE		CITROEN		PEUGEOT		ROVER	
CITROEN	0242.68	AX 1,1. 1,1i. 1,4. 1,4i	86->	106 all models	91->	100	90->
PEUGEOT	0242.68	Jumper D . TD	94->	306 all models	93->	Metro 1,4D	90->
ROVER	PEJ10007	Xantia 1,6i . 1,8i . 2,0i	93->	405 all models	93->		
		Xantia 1,9D	93->	605 all models	89->		
		Xantia 2,0i . 3,0i . 2,1D	89->	Boxer all models	94->		
		ZX 1,1i. 1,4. 1,4i. 1,9TD	91->				

F16525




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	22	122°C	

SUITABLE		FIAT		LANCIA			
FIAT	7670548	Croma 2,0i 16V	91->	Dedra 1,8i. 2,0i	89->	Thema 2,0i 16V	88->94
		Tempra 1,8i	93->	Dedra 2,0i Turbo	89->	Thema 2,0i 16V turbo	88->94
		Tipo 1,8i	93->	Delta 1,8i MPi . LE	93->		
				Delta 2,0i all models	91->		

F16526




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	22	107°C	

SUITABLE		FIAT IVECO		PEGASO	
FIAT	4837950	Ducato 2,5D. 2,5TD	94->	Daily 30.8 - 35.8	91->
		Daily 30.8 - 35.8	91->	Daily 35.10 - 49.10	91->
		Daily 35.10 - 49.10	91->	Duty 30.8 H	91->
		Duty 30.8 H	91->		

F16526I




Threading	Wrench	Pressure - Temperature	
Conical M18x1,5	19		

SUITABLE

IVECO 5803289845

F16528




Threading	Wrench	Pressure - Temperature	
Cylindrical M18x1,5	22	120°C	

SUITABLE
ALFA ROMEO 60563390

ALFA ROMEO
 75 2,5i V6 **87->**
 75 3,0i V6 **87->**

F16529



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	100°C	

SUITABLE


MERCEDES 0065459124

MERCEDES

L190 E 1,8
 200 GE 4x4
 208
 210
 230 GE 4x4
 510

F16530B




Threading	Wrench	Pressure - Temperature	
Cylindrical M12 x1,5	22	110° C	

SUITABLE

LOMBARDINI ED0091955850

F16532




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	24	125°C	

SUITABLE		RENAULT	
RENAULT	7700805271	Laguna 1,8i . 2,0i	94->
	7700810880	19 1,7 . 1,7i . 1,8i	89->
		21 Nevada 1,7 . 1,7i	87->
		21 Nevada 1,9D	87->
		21 Nevada 2,0 GTX	87->
		21 1,4 . 1,7. 1,9D . 2,0	89->

F16535




Threading	Wrench	Pressure - Temperature	
Ø 20mm		95°C	

SUITABLE		AUDI		VOLKSWAGEN			
VOLKSWAGEN	701919369B 701919369C	80 1,9 TD	91->94	Corrado 2,9 VR6	91->	Transporter 1,9 TD	92->94
ELTH	2690607			Golf 2,8i VR6	92->	Transporter 2,4 D	90->94
				Golf 2,9i Syncro VR6	94->	Transporter 2,5i	90->

F16536



Threading	Wrench	Pressure - Temperature	
Ø 20mm		100°C	

SUITABLE


VOLKSWAGEN 701919369D
ELTH 2690606

VOLKSWAGEN

Transporter 1,8 **91->92**
 Transporter 1,9 D **90->94**
 Transporter 2,0i **90->94**

F16548



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	20	35°C	

SUITABLE		CITROEN		PEUGEOT	
CITROEN	1338.50	AX 1,5 D	93->	106 1,5 D	96->
PEUGEOT	1338.50	Saxo 1,5 D	96->		
ELTH	2690048	Xsara 1,5 D	97->		

F16550




Threading	Wrench	Pressure - Temperature	
Ø 20mm		120°C	

SUITABLE		RENAULT					
RENAULT	7700829427	Clio 1,9 D	98->	Laguna 1,9 TD	97->	Megane Coach 1,9 dTi	97->
VOLVO	308100742	Espace 1,9 dTi	97->	Megane Break 1,9 dTi	99->	Megane Coach 2,0i. 2,0i 16V	96->
ELTH	2600609	Espace 2,0i	96->	Megane Cabrio 2,0i. 2,0i 16V	96->	Megane Scenic 1,9 dTi	97->
		Kangoo 1,9 D	97->	Megane Classic 1,9 dTi	97->	Megane Scenic 2,0i	96->
		Laguna 1,8i . 2,0i	94->	Megane Classic 1,9 TD	96->		
				Megane Classic 2,0i	96->		

F16552



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	20	120°C	


SUITABLE	
CITROEN	1338.86
PEUGEOT	1338.86
ELTH	2690051

CITROEN	
Berlingo 1,9 D	96->
Xsara 1,9 D	97->

PEUGEOT	
206 1,9 D	98->
Partner 1,9 D	97->
Ranch 1,9 D	97->

F16553




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	20	117°C	

SUITABLE		CITROEN	
CITROEN	0242.83	Berlingo 1,1i . 1,4i	96->
PEUGEOT	0242.83	Saxo 1,0i. 1,4i. 1,6i	96->
		Saxo 1,5 D	96->
		Xsara 1,4i . 1,6i	97->
		PEUGEOT	
		206 1,1i . 1,4i. 1,6i	98->
		306 1,6i	97->
		Partner 1,1i . 1,4i	96->
		Ranch 1,1i . 1,4i	96->

F16554




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	20	50°C	

SUITABLE		CITROEN	
CITROEN	1338.85	Berlingo 1,9 D	96->
PEUGEOT	1338.85	Xsara 1,9 D	97->
		PEUGEOT	
		206 1,9 D	98->
		Partner 1,9 D	97->
		Ranch 1,9 D	97->

F16556




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	112°C	

SUITABLE

IVECO 504308844

F16556I




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	107°C	

SUITABLE

IVECO 4837951

F16558




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	110°C	

SUITABLE
RENAULT 7700300648

RENAULT
 Master 2,5 D. **98->02**
 Master 2,8dli **98->02**

F1660102




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22		

SUITABLE

CONTINENTAL 320102

F1660126




Threading	Wrench	Pressure - Temperature	
Cylindrical M8x0,75	13		

SUITABLE

CONTINENTAL 320067

F1660129




Threading	Wrench	Pressure - Temperature	
Cylindrical M10x1	13		

SUITABLE
APRILIA 8124487

APRILIA
125RS

F1660221




Threading	Wrench	Pressure - Temperature	
Conical 1/2x14NPTF	22		

SUITABLE

CONTINENTAL P211039

F1660224




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27NPT	13		

SUITABLE

CONTINENTAL 320092

F1660225




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27NPT	13		

SUITABLE

CONTINENTAL 320093

F1660227




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27NPT	13		

SUITABLE

CONTINENTAL 320002

F1660228




Threading	Wrench	Pressure - Temperature	
Conical 1/8x27NPT	13		

SUITABLE

CONTINENTAL 320021


F17001




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	90/80°C	

SUITABLE		ALFA ROMEO		FIAT		SEAT	
ALFA ROMEO	130884	Alfa 33	83->90	125 . 125 Special	68->73	Malaga 1,7 D	87->89
	533309	Alfa 33 1,5 4X4	85->90	Polonez	78->		
	60745532	Alfa 33 1,7 IE	83->90				
FIAT	4111819	Alfa 33 1,7 Q.Verde	88->90	NISSAN			
SEAT	SE 127952.600B	164 2,0i . 3,0i	87->	Cherry Europe 1,2 . 1,3	83->85		
		Alfa Sud all models	72->84				
		Arna all models	83->85				

F17003




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	82/72°C	

	SUITABLE	DACIA	PEUGEOT	RENAULT	
PEUGEOT	1264.05 1264.09 1264.12 1264.15	Aro Duster Pick-Up 1302 Pick-Up 1310 Berlina	72-> 84-> 72-> 69->	305 all models 504 D 504 V6 505 2,3 . 2,5 D . TD	77->88 ->83 80->84 ->86
RENAULT	0855957600 7700618658 7700622019 7700759441 7701348765 7701349694	1310 Break	72->	604 V6 . 604 TD	->85
				Espace 2,0 . 2,2 . TD Fuego GTS . GTX . TD F40 5 all models 12 . 15 . 16 17 . 20 . 30 TX V6 R18i R5 LeCar	84->86 80->86 85->86 ->86 69->81 61->84 82-> 76->84

F17004



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	85/75°C	


SUITABLE

ALFA ROMEO 60506988
116000725602100

ALFA ROMEO

75 all models	85->92
90 all models	84->87
164 2,5 TD . 2,0 TS	92->
164 3,0i V6	87->92
Alfa 6	79->87
Alfetta all models	75->86
Giulietta all models	78->86
GTV . Spyder . SZ	82->


F17005




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	88/79°C	

	SUITABLE	CITROEN	RENAULT	
CITROEN	91514046	BX . BX 14 83->86	Alpine A310 TX 1650 76->77	R18 1397-1647-1995 cc 78->84
	91515141	C 15 E 1124-1360 84->87	Fuego TL . GTL 1397 cc 82->86	R18 Turbo 1565 cc 82->84
	95543583	CX 2400 75->80	Fuego 1647 cc. 1995 cc 80->86	R18 TD . GTD 81->84
	95611529	CX 2,0 RE. TRE. Reflex. X 79->80	Fuego Turbo 1565 cc 83->86	Master T30. T35 81->86
FORD	6120663	CX 2000 D 76->79	Fuego TD 83->86	Master T30 D. T35 D 81->87
	83GB8B607A2B	INA 11 E . RS 82->86	R4 782-845 cc 71->85	Rodeo 71->
PEUGEOT	1264.03	Visa Super 11 E . RE 78->89	R4 TL 956cc. GTL 1108cc 75->92	Trafic 1397 cc 81->86
	1264.14	Visa 14 TRS . Stilo 82->89	R5 L 782-850 cc 72->85	Trafic 1647 cc 83->86
RENAULT	7700268560		R5 950 . TL 956 cc 74->79	Trafic D 2068 cc 80->86
	7700613658	PEUGEOT	R5 TL . GTL 1108 cc 83->85	
	7700622754	104 72->85	R5 LS . TS 1289 cc 79->81	TALBOT
	7700634517	205 83->87	R5 TS . TX 1397 cc 81->85	Samba 81->86
	7700640353	304 . 304 D 76->80	R5 Copa . Alpine 76->82	Simca 1300. 1301. S 70->75
	7700646484	305 77->88	R5 Turbo . Laureate 82->85	Simca 1500. 1501. S 70->75
	7701348194	309 1,1 . 1,3 . 1,5 86->90	R6 GTL 80->83	160 . 180 . 1610 70->78
	7701349765	505 79->91	R9 81->88	
	0055289100	505 D . TD 82->86	R11 83->86	
TALBOT	30775C	604 D . TD 81->84	R14 1289-1360 cc 76->83	
	7710010888	J 9 D 79->86		

F17006




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	95/90°C	

SUITABLE		CITROEN		OPEL		VAUXHALL	
CITROEN	95492854	AX 954. 954i	86->	Commodore B . C	72->82	Astra D 1,0 S	79->84
	95632734	AX 1,1 . 1,1i	86->	Kadett D 1,0 S . 1,2	79->91	Belmont E 1,2 Only	84->87
GENERAL MOTORS	90087398	AX 1,3 Sport	87->92	Rekord D . E	72->86		
OPEL	1341003	AX 1,4 . 1,4i . 1,4i GT	87->	SKODA			
SKODA	113095073	CX 2,5 D	76->85	Favorit all models	87->		
	114095070			136 Coupé	87->		
	LP2253						
VOLKSWAGEN	175959481						

F17007




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87°C	

FIAT	SUITABLE 82335032	LANCIA Beta all models	->82
-------------	-----------------------------	----------------------------------	----------------

F17013T



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87°C	


SUITABLE

TOFAS

Murat

F17014




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87°C	

SUITABLE		FIAT	
FIAT	44477080	Panda 45	81->86
	4477081	Panda 4X4	84->86
		Regata 70. 75. 85	83->85
		Regata 70S. 75S	83->85
		Regata 85S. 100S	83->85
		Regata ES	83->85
		Ritmo L. CL	83->85
		Ritmo 2,0	85->87

F17016



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	88/83°C	

	SUITABLE	FIAT	SEAT
FIAT	4468320 4475633	132 D Argenta D	78->83 81->86
SEAT	3934295 3934341 SE138947000A	Ritmo D	Ritmo D 81->83 Ronda D CL . CLX 82->84 Ronda P 1,7 LD . GLD 84->86

F17017




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87°C	

SUITABLE		CITROEN		Ducato 1,8 . 2,0	81->93	Ritmo D	81->83
CITROEN	ZF04475634	C 25 E 1,8 . 2,0	81->93	PEUGEOT		Ronda 65 CL . 75 CLX	82->84
FIAT	4439632	FIAT		J5 1,8 . 2,0	81->93	Ronda 100 Crono	82->84
	4439633	Panda 45	->80	SEAT		Ronda CLX D	82->84
	4468319	Ritmo 60. 65. 75	80->83	Panda 35 . 40 .45	80->87		
	4475634	Ritmo 105 TC	81->85	Ritmo 65 . 75	79->80		
PEUGEOT	1264.11	Ritmo 125 TC. 130 TC	81->83	Ritmo Crono	83->83		
SEAT	3933683						
	RF95260000						
	RF95260002						

F17018




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87°C	

	SUITABLE	FIAT	SEAT
FIAT	5951985 5951987	Uno 45 . S . ES Uno 55 . S Uno 70 SX	83->85 83->86 83->85
			Fura 81->84


F17019




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87°C	

SUITABLE		FIAT			ZASTAVA	
FIAT	4424393	Argenta 1,6	83->85	Croma 2,0ie . 2,0ie Turbo	85->86	ZASTAVA Yugo (USA) 87->
	4424394	Argenta 2,0 . 2,0ie	83->86	Croma 1,9 TD . 2,5 TD	85->86	
	82435465	Croma 1,6 . 2,0 CHT	85->86	X1/9 Five Speeds	78->83	
ZASTAVA	46622892			2000 Spyder Europa	80->86	

F17021



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	86/76°C	

SUITABLE		PEUGEOT	
PEUGEOT	1264.04	305 1,6 . 1,9	78->88
	1264.13	504 D	->83
TALBOT	9151381080	505 2,3 . 2,5 D . TD	86->
		604 D	->85

F17022



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	100/95°C	

SUITABLE	
GENERAL MOTORS	90108636
OPEL	1341002 1341007


BEDFORD	
Astra 1,3 . 1,6 Van	82->
Astra 1,6 D Van	82->

OPEL	
Ascona C all models	81->88
Corsa 1,0 . 1,2	82->87
Corsa 1,3 . 1,6	82->87
Kadett D . E all models	79->87
Omega 1,8 . 1,8i	->88
Omega 2,0i . 2,4i . 3,0i	->88
Senator 2,5i . 3,0i	87->88

VAUXHALL	
Astra D all models	79->84
Belmont E all models	84->87
Carlton 1,8 . 1,8i	->88
Carlton 2,0i . 2,4i . 3,0i	->88
Nova 1,0 . 1,2	82->87
Nova 1,3 . 1,6	82->87
Senator 2,5i . 3,0i	87->88

F17023




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	82/68°C	

SUITABLE		FIAT			ZASTAVA	
PEUGEOT	0242.10	1300 . 1500	64->70	404 . 404 D	60->75	
	0242.12			504 1,8 . 2,0	68->82	45 903cc 82->87
		PEUGEOT		504i	68->82	55 . GLS 1116cc 84->
		204	66->76	504 V6 . Cabrio . Coupé	74->82	311 . 511 1116cc 81->
		204 D	68->77	505 GLD . GRD . SRD	79->82	513 1301cc 81->
		304 1,1 . 1,3	69->75	J7	65->79	
		304 D	69->75	J7 D	68->	
				J9	79->	

F17024




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	88/83°C	

SUITABLE		FIAT	
FIAT	4338581 4434700	132 D	78->82

F17034




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	82/77°C	

SUITABLE
INNOCENTI 313320172

MASERATI
 Biturbo **82->**

F17036




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	60/50°C	

SUITABLE
RENAULT 7700268709

RENAULT
 R5 LeCar (USA) **76->83**
 R30

F17037




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	27	86/81°C	

SUITABLE		NISSAN	
NISSAN	21595M0205	Bluebird 160B . 180B	71->80
	21595M0206	Bluebird 1,6 GL . 1,8 GL	80->84
		Cherry 1,0 . 1,2 , 1,3	70->82
		Langley 1,4 . 1,5	80->84
		Micra 1000	83->90
		Pulsar	81->84
		Silvia 1,8 Turbo	84->
		210	78->82
		280 ZX	75->78
		310	79->82
		510	78->80

F17040




Threading	Wrench	Pressure - Temperature	
		92/87°C	

SUITABLE		AUSTIN		M.G.		TALBOT	
UNIPART	URP-1126	Allegro	73->82	GT	75->79	Avenger	77->79
		Ambassador 1,7 . 2,0	82->84	MGB	75->79	Sunbeam	77->79

F17041




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	21	92/87°C	

SUITABLE		SUBARU	
SUBARU	682151150	1300 . 1400. 1600	71->80
	682151180	1600. 1800	81->
	78305200	Leone 1,6 . 1,8 . Van	79->84
		Mini Jumbo	77->81
		Rex 360 . 500 . 550	73->81
		Sambar	76->83

F17043



Threading	Wrench	Pressure - Temperature	
		95/90°C	

SUITABLE


ROVER

UNIPART

BHM-7281
GVS-101
KTP-9002
KTP-9107
URP-1271

Maestro 1,6 MG

F17044




Threading	Wrench	Pressure - Temperature	
Ø20 mm		92/87°C	

SUITABLE		RENAULT					
RENAULT VOLVO	6001011893	R 25 V6	88->92	740 2,3. 2,3i	84->90	940 2,3i . 2,3i turbo	90->
	1274047			740 D	84->90	940 2,8i	90->
	1274047-8			760 GLE . Turbo . 2,8 V6	83->90	940 2,4 D	90->
	1274048-6			760 D . TD	82->90	960 2,0i . 2,0i turbo	90->
	1274962-8			780 2,0i turbo	87->90	960 2,3i . 2,3i turbo	90->
		260. 264. 265	74->78	780 6 Cyl.	86->90	960 2,9i 24V	90->
		262. 264. 265	79->82	780 D . TD	86->90	960 2,4 D	90->
		740 2,0 . 2,0i . 2,0i turbo	84->90	940 2,0i . 2,0i turbo	90->		

F17050




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	12/2°C	

SUITABLE
SPECIAL APPLIANCE

F17060




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	24	12/2°C	

SUITABLE
SPECIAL APPLIANCE

F17062




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	24	30/20°C	

SUITABLE

FIAT-IVECO 98415130

F17066




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	85/75°C	

SUITABLE
SPECIAL APPLIANCE

F17069




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	85/75°C	

SUITABLE
SPECIAL APPLIANCE

F17070




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	82/68°C	

SUITABLE
SPECIAL APPLIANCE

F17074




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	24	65/55°C	

SUITABLE

IVECO 98453557

F17074A




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	22	55±5°C	

SUITABLE

CNH 504101267

F17074C



Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	24	110°C	

SUITABLE


SEAT

CNH

92175852

F17074S




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	24	30° C +/-5°	

SUITABLE

IVECO 504062682
CNH 504062682

F17079



Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	102/97°C	

SUITABLE


NISSAN 2159502E00
21595D4000

NISSAN

Auster **85->86**

F17080




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	102/97°C	

SUITABLE		B.M.W.	
B.M.W.	1364273	320 I . IC	83->87
	61311364273	323 I	83->87
		324 D . TD	83->87
		325 E . I . IC . IX	85->
		520 I	83->87
		524 D . TD	87 ->88
		528 I	83->87
		728 . I . IS	78->88
		730 I . 732 I . 733 I	85->88
		745 I	83->87
		M535 I	86->90

JOINTLY USED WITH F17081

F17081




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	95/90°C	

	SUITABLE	B.M.W.	OPEL
B.M.W.	1364272 61311357073 61311364272	320 I . IC 323 I 324 D . TD 325 I. IC. IX	83->87 83->87 83->87 85->86
OPEL	1341010	520 I 524 D . TD 528 I 728 . I . IS 730 I. 732 I. 733 I 745 I M 535 I	Omega 2,3 TD 86->88 Omega 3,0 . 3,0 Cat. 87->88 83->87 87->88 83->87 78->88 85->88 83->87 86->90

JOINTLY USED WITH F17080

F17081SG




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	135°C	

SUITABLE
SPECIAL APPLIANCE

F17082




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	21	85/80°C	

SUITABLE		HYUNDAI		MITSUBISHI	
HYUNDAI	2536021110	Excel 1,5	87->89	Precis	85->88
	2536021200	Lantra 1,5 . 1,5i. 1,6i	90->		
	2536021201	S-coupé 1,5i. MPi. Turbo	92->		
	2536028000	Stellar 2,0	86->		
	2536032100				

F17090



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	95/90°C	


SUITABLE	
VOLKSWAGEN	811959481 893959481

AUDI	
A4 all models	94->
Cabriolet all models	91->98
Coupé Quattro all models	88->94
Coupé all models	88->96
80 all models	85->
90 all models	85->91
100 all models	88->91
S4 Quattro Avant 2,7i	97->
S4 Quattro 2,7i 30V	97->

VOLKSWAGEN	
Passat 1,6i-1,8i 20V	96->00
Passat 1,9i TDi-2,0i-2,3i	96->00
Passat 2,5i 24V - 2,8i	96->00
Passat 2,8i 30V	97->00

F17100




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	88/83-92/87°C	

	SUITABLE	CITROEN	PEUGEOT
CITROEN	95495385	BX 1,6 . 1,6i	205 all models
	95576325	BX 1,9 . 1,9i	305 1,3 . 1,5
	95612640	BX 1,9D . TD	305 1,6 GT
PEUGEOT	1264.17	BX 1,9 GTI	305 1,7D . 1,9D
		C15 1,7D	309 all models
		CX 2,0 . 2,2	505 all models
		CX 2,5 IE . GTI . TRI . RI	604 TD . GRD . SRD
		CX 2,5 GTI Turbo . Turbo 2	
		CX 2,5 D . TD	
		Visa D	

F17101




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	88/83-92/87°C	

	SUITABLE	FIAT	INNOCENTI
FIAT	5958828	Duna 1,7D	87->90
	7576284	Ritmo TD	86->88
	7628799	Tipo 1,7D	88->91
	7695951	Uno turbo ie.	85->93
		Uno 45 D 1,3	83->93
		Uno 60 D 1,7	89->93
		Uno 70 TD 1,3	85->93
		Uno D 1,9	89->93
		Uno TD 1,7	86->88
		Fiorino 1,3 D . 1,7 D	90->
			90->

F17102




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	88/83-92/87°C	

SUITABLE		FIAT	
FIAT	5977192	Regata D . DS	83->90
	7583398	Regata TD	84->90
		Ritmo D L . CL	83->88

F17106




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	17	98/93°C	

SUITABLE	
DAIHATSU	8942810050
TOYOTA	8942810050

TOYOTA	
Corolla	81->
Sprinter	81->
Starlet	81->84

F17114




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	17	85/80°C	

SUITABLE		TOYOTA	
TOYOTA	8942810100	Celica 1,6i	91->93
	8942812160	Celica 1,8i	93->
		Corolla 1,6i	92->
		Corolla 1,8i	92->
		Paseo 1,5i 16V	92->
		Tercel 1,5i	92->

F17120




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/85°C	

SUITABLE		ALFA ROMEO		LANCIA		PLYMOUTH	
ALFA ROMEO	60543482	Alfa 155 2,5 V6 A.A.	92->	Delta 1,6ie Turbo	86->91	Horizon 1,6 4cil.	85->86
FIAT	82430987	Alfa 155 Q4	92->	Prisma 1,6ie	85->89		
	82436409	FIAT		Prisma 2,0ie 4WD	86->89		
		Croma 1,6 . 2,0 CHT	89->91	Thema 2,0ie Turbo	85->		
		Croma 2,0ie . 2,0 Turbo	89->	Thema 8.32	85->		
		Croma TD	89->	Thema 2,5 TDS	85->		

F17121




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	88/83°C	

SUITABLE		FIAT		OPEL		VAUXHALL	
FIAT	7586250 9568250	Regata 1,5ie Ritmo 1,5ie	86->90 85->88	Astra 2,0i . 2,0i 16V Calibra 2,0i . 16V . Turbo Vectra 1,4 . 1,6 . 1,8 Vectra 1,6i . 1,8i . 2,0i	91-> 89-> 89->93 89->	Astra Calibra Cavalier	91-> 89-> 89->
GENERAL MOTORS	90357303						
OPEL	1341028						

F17122




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	97/92°C	

SUITABLE		FIAT	
FIAT	7570837	Regata 100S 1,6ie	85->90
		Ritmo 1,6	85->88
		Ritmo II 85 1,6	85->88
		Strada 1,6	85->88

F17123




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	100/95°C	

SUITABLE		RENAULT		VOLVO	
RENAULT	7700739708	Trafic 1,4	87->89	240 GL	86->93
VOLVO	12762290	Trafic 1,7 . 2,0	89->	260 . 264 . 265	86->93
	13785043	Trafic 2,5 D	90->	740 2,0 . 2,0i	85->90
				740 2,3 . 2,3i	85->90

F17124




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	100/95°C	

SUITABLE	OPEL	VAUXHALL
GENERAL MOTORS 90346429 OPEL 1341012	Vectra 1,6i cat. GL . GLS 88-> Vectra (c/computer.ABS) 91->	Cavalier with cruise 88-> Cavalier cat. 88->

F17127



Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	21	85/80°C	

SUITABLE


MITSUBISHI MB356704

MITSUBISHI

Galant **89->**
Mirage **89->**

F17130




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	87/82°C	

SUITABLE		NISSAN		200 SX 2,0i	83->87
NISSAN	2159507F00 2159563A01	Langley 1,5 Liberta 1,5 Primera 1,6 Pulsar 1,5 . 1,6 Sentra 1,6 . 1,6i Sunny 1,4 . 1,6 Sunny 1,6i Tsuru I . II . III 100 NX 1,6 200 SX 1,8 Turbo	88-> 88-> 90->93 88->90 88->90 88->92 87->90 87-> 90->92 83->87		

F17134



Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	17	105/100°C	

SUITABLE		TOYOTA	
TOYOTA	8942814070	Pick-Up V6	88->

F17140




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	95/85°C	

SUITABLE		CITROEN			SUZUKI	
CITROEN	96009503	XM 2,0 . 2,0i	89->	309 1,6 . 1,9	90->93	Vitara 1,9 D
	96064561	XM 3,0 V6 24V	90->	309 1,6i. 1,9i. 1,9i 16V	90->93	
PEUGEOT	1264.23	PEUGEOT		309 D	90->93	96->
SUZUKI	3533186CA0	205	89->93	405 GL. GR. SR 1,6 . 1,9	87->93	
	3533186CB0	205 1,6 GTI . 1,9 GTI	89->93	405 1,9 GRI . SRI	87->93	
		309	90->93	405 D . TD	87->93	

F17145




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	CH29	92/82°C	

SUITABLE		RENAULT	
RENAULT	6006001590	Espace 2,0i- 2,2i	91->96
	7700777684	R21 1721cc	87->88
	7700777685	R21 TX-GTS-TXE	87->89
		Master 2,0-2,2i	89->93
		Trafic 2,5D	89->90

F17146




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/82°C	

SUITABLE		OPEL					
CITROEN	96123564	Arena 1,9- 2,5 TD	98->	Megane 1,4i-1,6i-1,9	95->	25 all models	84->92
OPEL	4402309	Movano 2,5D- 2,8DTi	98->	Megane 2,0i	96->	Express all models	85->
RENAULT	7700782503			Megane 1,9D - 1,9TD	96->	Kangoo all models	97->
	7700796048			Safrane	92->	Trafic all models	89->Master
				Twingo 1,2i	93->	2,0-2,2i	89->93
				5 all models	87->92	Trafic 2,5D	89->90
				19 all models	89->		
				21 all models	87->		

F17147




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/82°C	

SUITABLE		FORD	
FORD	1646398	Escort RS	90->91
	6146107	Escort XR3i	90->
	6146110	Escort 1,4 . 1,4i	90->91
	6168439	Escort 1,6 . 1,6i . 1,6D	90->
	6169111	Escort 1,8D . 2,0i	89->
	6169112	Fiesta XR2 . Turbo	90->
	6169113	Fiesta 900 . 1,1 . 1,4	86->89
	6496665	Fiesta 1,6D . 1,8D	86->92
	7001608	Orion 1,4 . 1,6 . 1,8D	90->
	85AB8B607A2B	Sierra 1,8 . 1,8i . 1,8D	84->93
	85AB8B607A3A	P100 1,8 D	90->
	85AB8B607A3B		
	89FB8B607AA		
	89FB8B607A1A		

F17149



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	100/95°C	

SUITABLE
GENERAL MOTORS 90340497
OPEL 1341018

BEDFORD
 Astra Van 1,3 . 1,6 **88->91**
 Astra Van 1,7D **88->91**


OPEL
 Kadett E 1,8i . GSI . 16V **88->91**
 Kadett E 1,7D **88->91**
 Kadett Van MKII 1,3 . 1,6 **88->91**

VAUXHALL
 Astra MKII 1,8 SRI **88->91**
 Astra MKII 2,0. GTE. GSI **88->91**
 Astra MKII 1,7D **88->91**
 Astra Van 1,6 . 1,7D **90->91**
 Belmont 1,3 . 1,6 **88->91**
 Belmont 1,8 LXI.CDI.SRI **88->91**

Belmont 1,7D **88->91**
 Carlton 1,8. 1,8i. 2,0i **88->**
 Carlton 3000 GSI **88->**


F17152




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	90/85°C	

SUITABLE		CITROEN	
CITROEN	96029641	C15 954cc . 1124 cc	84->
		C15 1118cc. 1294cc.	84->
		C15 1360cc	84->

F17153




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	115/110°C	

	SUITABLE	LAND ROVER	SAAB
LAND ROVER	PRC-3359	Defender 90 200TDI. 300TDI 88->	900 2,0. 2,0i. 2,0i Turbo 80->93
SAAB	4086724	Defender 90 2,5TD . 3,5 V8 88->	900 2,1i 90->93
	8572331	Discovery 2,5 200 TDI 90->	9000 2,0i Turbo 86->90
	9526526	Land Rover 90. 110 3,5 83->86	9000 2,0i 16V . Turbo 90->
	9552878	Range Rover TDI . TDS 92->	9000 2,3i 16V . Turbo 90->

F17155




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	103/98°C	

SUITABLE		FORD	
FORD	1652990	Consul 1,6 . 1,8 . 2,0	-> 85
	6142676	Escort 1,1. 1,3. 1,3i	88->
	6146107	Fiesta 1,0 . 1,1	89->
	6169111	Fiesta 1,3 . 1,3i	89->
	6169112	Granada 1,6 . 1,8 . 2,0	-> 85
	6186463	Granada V6 Taunus	85->
	6186464	Orion 1,1 . 1,3 . 1,3i	88->
	85GB8B607B1A	Sierra 1,3	84->87
		Sierra 1,6	-> 93
		Sierra 1,8 . 2,0i	85->93
		Sierra V6 Taunus	84->93

F17156




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87°C	

SUITABLE		AUDI	VOLKSWAGEN			
SAAB	8533226	50	76->78	Dasher	73->80	
	8561367			Dasher D	78->80	
	8569238			Derby	76->78	
	9526518			Golf	74->85	
VOLKSWAGEN	823959481A	900 . Turbo	79->	Jetta	75->85	
	823959481F	9000	85->	LT	75->	
					Passat	73->78
					Polo	76->78
					Quantum 1,7 . 2,1	81->84
					Santana	73->78
					Scirocco	74->85

F17158




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	86/81°C	

SUITABLE		CITROEN	
CITROEN	95493258	BX . BX 14	83->85
		CX 2000 . 2200	75->85
		LNA 11 RE	82->84
		Visa 11 . GT	79->88
		Visa Crono 1,3	82->87

F17160




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	27	95/90°C	

SUITABLE		ACURA	HONDA
HONDA	37760PM3003	Integra 1,7i GS-R	Civic CRX 1,4 . 1,6i
ROVER	FDU 2767	Integra 1,8i	Civic Shuttle 1,4.1,5i.1,6i
		92->93	88->91
		90->93	89->91
			Concerto 1,4.1,5i.1,6.1,6i
			90->91


F17162




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	107/97°C	

SUITABLE		B.M.W.	
B.M.W	12632241342 2241341	324 D. TD Air cond. 524 TD	85-> 88->

F17163




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	72/67°C	

SUITABLE		VOLVO	
VOLVO	32112047	340 1,7	84->89
		360 1,7	84->89

F17164




Threading	Wrench	Pressure - Temperature	
		115/105°C	

	SUITABLE	ROVER	
ROVER	CDU-1490	214 1,4i . 1,4i 16V	89->
	GVS-105	414 1,4i . 1,4i 16V	89->
UNIPART	BHM-4368	820 2,0	91->
	CDU-1490	820 2,0i turbo	88->91
	GVS-105	820 2,0i 16V	92->
	KTP-9249	825 2,5 TD	88->
		827 2,7i V6	88->


F17166




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	97/92°C	

SUITABLE		CITROEN		FIAT		PEUGEOT			
CITROEN	96064561	AX 11. AX 14 . AX GTI	91->	Scudo 1,6ie	95->	Expert 1,6i- 1,8i	96->	Partner 1,1i-1,4-1,4i-1,8i	96->
	96138637	AX 14D	90->91	Ulysse 1,8i-2,0i EL . S	94->	Ranch 1,1i-1,4-1,4i-1,8i	96->		
FIAT	9629968880	Evasion 2,0i X . SX	94->						
PEUGEOT	1264.26	Saxo	96->						
	1264.37	Xantia 1,6i . 1,8i . 2,0i	93->	106	91->				
	1264.40	XM 2,1 D	89->	205 SR . XR . GTX	89->93				
		Xsara 1,4i-1,5-1,6i-1,8i	97->	205 1,0 . 1,2 . 1,3 . 1,4	89->93				
		Xsara 1,8i 16V-2,0i 16V	97->	205 1,2i . 1,4i	90->93				
		Xsara 1,8D- 1,9D	97->	306	93->				
		ZX	91->	309 1,1i . 1,3i	89->93				
		ZX D 1,9	91->92	309 1,7 GRDT . SRDT	90->93				
		Berlingo 1,1i . 1,4i	96->	405 - 406	90->93				
		Jumpy 1580 SPI	95->	806 2,0i	94->				

F17167




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	87/82°C	

SUITABLE		VOLVO	
VOLVO	32866410	340 1,4 . 1,6D . 1,7	84->89
		360 1,4 . 1,6D . 1,7	84->89

F17168




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	100/95°C	

SUITABLE	OPEL	VAUXHALL
GENERAL MOTORS 90339500	Calibra 2,0i turbo . 2,0i 16V 89->	Calibra 2,0i . 2,0i turbo 16V 89->
OPEL 1341023	Vectra 1,4 . 1,6 . 1,6i 89->	Cavalier 1,4 . 1,6 . 1,6i 89->
ELTH 26402119	Vectra 1,8 . 1,8i . 2,0i 89->	Cavalier 1,8 . 1,8i . 2,0i 89->

F17170




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	95/85°C	

SUITABLE		SUBARU	SUZUKI
SUBARU	25242KA110	Justy 1,2i	Swift 1,0i
SUZUKI	1760070811	91->	Swift 1,3
	1768060B00		Swift 1,3i
	1768070B00		Swift 1,6 . 1,6i 16V
			83->
			84->
			84->91
			89->

F17171




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	21	85/80°C	

SUITABLE		HYUNDAI		MITSUBISHI	
HYUNDAI	2536024000	Elantra 1,6i	91->	Precis 1,5i	89->
	2536024050	Excel 1,3 . 1,3i . 1,5 . 1,5i	89->		
MITSUBISHI	2536024000	Pony 1,3 . 1,3i . 1,5 . 1,5i	89->		
		Precis 1,5i	89->		
		SCoupe 1,5 . 1,5i MPi	90->92		

F17172




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	21	90/85°C	

SUITABLE
TOYOTA 8942833010

TOYOTA
 Camry 2,2i **91->**
 Celica Turbo **91->93**
 Celica 2,2i **91->**
 MR2 2,0i Turbo **92->**
 MR2 2,2i **92->**

F17173




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	87/77°C	

SUITABLE		SEAT	
SEAT	SE021952600B	Ibiza 1,7D	87->93
		Malaga 1,7D	89->93
		Marbella 1,3D . 1,4D	90->
		Terra 1,3D	89->

F17175



Threading	Wrench	Pressure - Temperature	
Conical 3/8x19 BSP	24	87/82°C	

SUITABLE


DAIHATSU

DAIHATSU 8343087101000

Charade 1,3

F17177




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	17	90/85°C	

SUITABLE
TOYOTA 8942820060

TOYOTA
 Corolla FX 1,6i **88->89**
 Paseo 1,5i 16V **91->92**
 Tercel **91->**

F17179




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	92/77°C	

SUITABLE		ACURA		HONDA	
HONDA	37770PY3A01	Legend coupé 3,2i	91->	Legend 3,2i V6	91->
		Legend Sedan 3,2i	91->		

F17185



Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	107/102°C	

SUITABLE


HONDA
 37773PJ0A01
 37773PJ0661
 37773PR4A01

HONDA

ACURA Integra 1,7i GS-R **92->93**
 ACURA Integra 1,8i **90->93**

F17189




Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	17	90/85°C	

SUITABLE		TOYOTA					
TOYOTA	89428-12150	Avalon 3,0i	99->	Celica 1,8i 16V	94->99	Solara 3,0i 24V	98->
	89428-12160	Avensis 1,6i-1,8i 16V	97->	Corolla 1,3i 12V	92->97	Starlet 1,0-1,3 12V	90->96
		Carina E 1,6i-2,0i 16V	92->	Corolla 1,3i-1,6i 16V	92->	Starlet 1,3i 12V-16V	90->99
		Carina E 2,0 D	92->	Corolla 1,8i 16V	92->97	Starlet 1,5 D	90->96
		Celica 1,6i 16V	90->93	Paseo 1,5i 16V	95->99		
				Sienna 3,0i 24V	97->		

F17190



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	100/95°C	

SUITABLE

MERCEDES


MERCEDES

0065451524
0065454024

E200 D
190 D
200 D . TD
300 GE 4x4

F17202




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	24	93+/-3°C	

SUITABLE
SPECIAL APPLIANCE

F17203




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	24	100+/-3°C	

SUITABLE
SPECIAL APPLIANCE

F17211





Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	21	92/87°C	

SUITABLE

“SUBARU 25542KA100

F17212



Threading	Wrench	Pressure - Temperature	
		112/107°C	

SUITABLE


UNIPART GVS 106

KTP 9242

ROVER

F17213




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	100/95°C	

SUITABLE	
GENERAL MOTORS	90449435
OPEL	1341030

OPEL	
Astra 1,4i	92->
Astra 1,6i	91->
Astra 1,8i	92->
Corsa 1,5 D	93
Corsa 1,7 D Combo	93->

F17217



Threading	Wrench	Pressure - Temperature	
Conical M18x1,5	24	100/95°C	

SUITABLE


GENERAL MOTORS 96065719
SUZUKI 1768050F10

SUZUKI

Swift 1,3i **92->94**

F17218




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87°C	

SUITABLE		CITROEN		FIAT		LANCIA	
FIAT	7728057	Jumper 2,0i	94->	Brava 1,4i 12V - 1,6i 16V	95->	Y 1,1i-1,2i-1,2i 16V-1,4i 12V	95->
PEUGEOT	1264.32			Brava 100 1,6i 16V	98->	PEUGEOT	
				Bravo 1,4i 12V -1,6i 16V	95->	Boxer 2,0 - 2,0i	94->
				Bravo 1,8i 16V- 2,0i 20V	96->		
				Marea 1,4i- 1,6i- 1,8i- 2,0i	96->		
				Marea 100 1,6 16V	99->		
				Marea 115 1,8i 16V	99->		
				Punto all models	93->		
				Tempra 1,4i . 1,6i	93->		
				Tipo 1,1i . 1,4i . 1,6i . 1,8i	93->		
				Ducato 2,0i	94->		

F17221




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,25	24	95°C	


SUITABLE

SAN GIORGIO

SEIN VSG40147

F17224




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	99/94°C	

SUITABLE

LADA 210838280100

F17225




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	22	82/75°C	

SUITABLE

B.M.W. 61311364274

F17226




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/79°C	

SUITABLE

IVECO 99460557

F17227



Threading	Wrench	Pressure - Temperature	
Cylindrical M16x1,5	22	87/82°C	

SUITABLE		MARUTI		SUZUKI	
MARUTI	1768084201	800 E01 . E02	90->	Alto 800	80->
SUZUKI	1768084000				
	1768084201				

F17228




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	102/97°C	

SUITABLE		FORD					
FORD	1652990	Escort 86 1,1	86->90	Fiesta 1,3	91->96	Scorpio I 2,0i	89->94
	6141676	Escort '91 1,4	90->94	Fiesta III	89->95	Scorpio I 2,4i	86->88
	6146107	Escort '95 1,4	95->	Focus 1,6 16V	98->	Scorpio I 2,9	93->94
	6169112	Escort IV 1,1	85->90	Focus 1,8 16V	98->	Sierra 1,3	82->86
	6186463	Escort V	90->94	Focus 2,0 16V	98->	Sierra 1,8	84->86
	6186464	Escort VI	92->95	Focus RS , ST170	02->	Sierra 1,8 TD	88->93
	7001604	Escort VII	95->99	Orion III	90->93	Sierra 2,0	82->93
	7001611			P 100 II 1,8 TD	87->92		
	85AB-8B607-A2B						
	85GB-8B607-B1A						
	92AB-8B607-AA						

F17231




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	85/76°C	

SUITABLE

IVECO 98435734

F17232




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	95/86°C	

SUITABLE

IVECO 500384489

F17233




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	102/93°C	

SUITABLE

IVECO 500384490

F17234G




Threading	Wrench	Pressure - Temperature	
Conical 1/2x14 NPTF	24	63/53°C	

SUITABLE

IVECO 504264463

F17234MLA




Threading	Wrench	Pressure - Temperature	
Conical M16x1,5	24	32/22°C	

SUITABLE

CNH L. A. 5802380927 x KSB

F17234S




Threading	Wrench	Pressure - Temperature	
Conical 1/2x14NPTF	24	30/20°C	

SUITABLE

FPT 504104427 x KSB

F17235




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87°C	

SUITABLE		CITROEN		PEUGEOT	
CITROEN	1264.31	ZX 1,8 D . 1,9 D	91->	306 1,7 D . 1,9 D	93->
PEUGEOT	1264.31				

F17240




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	60/50°C	

SUITABLE
SPECIAL APPLIANCE

F17241




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	48/40°C	

SUITABLE
SPECIAL APPLIANCE

F17242




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	70/60°C	

SUITABLE
SPECIAL APPLIANCE

F17244




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	82/68°C	

SUITABLE

F17245




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	65/60°C	

SUITABLE

F17248




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	100/95°C	

SUITABLE		FORD	
FORD	7001612	Escort 1,6 16V	98->00
	92FB-8B697-AB	Escort VII	95->99
		Fiesta III	92->95

F17293301




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	29	88/81°C	

SUITABLE

PIAGGIO

293301

F17601




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	88/83-92/87°C	⚙️⚙️

SUITABLE		CITROEN		FIAT		LANCIA	
CITROEN	ZF05934064	C 25 D 1,9	87->92	Argenta 2,5 TD	83->86	Prisma D	84->86
FIAT	5934064	C 25 D 2,5	81->92	Ritmo D L .CL	82->83	PEUGEOT	
	5934084	C 25 TD 2,5	83->92	Ducato D	86->92	J5 1,9 D	88->93
	5951524			Ducato TD	86->92	J5 2,5D . TD	81->93
PEUGEOT	1264.10			Talento D	89->92		

F17603




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	88/83-92/87°C	

SUITABLE		FIAT	
FIAT	5983011	127 D Fiorino 1,3 D	81-> 81->88

F17604




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	85/80-87/82°C	

SUITABLE		CITROEN		PEUGEOT	
CITROEN	95516467	C 15 D	84->89	205 1,1. 1,4. 1,4 GT	87->88
	95630939	Visa 1,6 GTI	85->89	205 1,0. 1,2. 1,3. 1,4	88->89
PEUGEOT	1264.06	Visa D	86->88	205 1,6 GTI	84->87
	1264.16			205 GTX	86->89
				205 D	83->87
				305 D 1,6	84->88
				504 D	79->83

F17605




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	95/85-102/87°C	

SUITABLE		AUDI		SEAT		VOLKSWAGEN	
SEAT	151959481C	801,6i- 2,0i- 2,0i 16V	86->96	Cordoba	93->99	Corrado 1,8i 16V- 2,0i	88->
SKODA	6U0959481	802,3i- 2,8i	91->94	Ibiza	93->96	Corrado 2,0i 16V- 2,9i VR6	91->
	6U0959481A	801,9TD - TDi	91->96	Inca	95->97	Golf 1,0- 1,05 - 1,3 - 1,3i	83->92
VOLKSWAGEN	191959481C	80Quattro	89->94	Toledo	91->96	Golf 1,6- 1,6D	83->92
	251919481C	902,0i 16V- 2,3i- 2,8i	91->94	SKODA		Golf 1,8- 1,8i- 1,8i 16V	83->91
	251919481D	90Quattro	89->94	Felicia 1,3- 1,3i	95->	Golf 1,4i- 1,6i- 1,8i	91->94
	321959481A	100 2,0i- 2,0i 16V	92->94	Pick-up 1,3- 1,3i	95->	Golf 1,9- 1,9D- 1,9TD	91->94
	321959481C	100 2,3i- 2,6i- 2,8i	90->94			Golf 2,0i - 2,0i 16V	91->94
	321959481D	100 2,4D- 2,5TDi	90->94			Jetta 1,05- 1,3 - 1,3i	83->92
	6U0959481	100 Avant	91->94			Jetta 1,6 - 1,6D	83->92
	6U0959481A	100 Quattro	90->94			Jetta 1,8- 1,8i- 1,8i 16V	84->91
		A4 1,6i-1,8i- 1,8i 20V	94->			Passat 1,6 - 1,6i - 1,6TD	88->00
		A4 1,9Di - 1,9TDi	94->			Passat 1,8i- 1,8 16V- 1,8i 20V	89->00
		A4 2,4i 30V- 2,5i 24V	99->			Passat 1,9 - 1,9TD	89->00
		A4 2,6i- 2,8i- 2,8i 30V	96->99			Passat 2,0i-2,0i 16V	89->93
		A4 Avant	96->99			Passat 2,3i - 2,5 24V	97->00
		A4 Quattro	94->			Passat 2,8i - 2,8i 30V	89->00
		A4 Avant 2,4i 30V	99->			Passat Van	89->91
		A6 2,0i- 2,0i 16V	94->97			Passat Variant	89->00
		A6 2,3i- 2,6i- 2,8i	94->96			Polo 1,05i- 1,3- 1,3i	90->94
		A6 1,9TDi- 2,5TDi	94->96			Polo 1,4D	90->94
		A6 Avant	94->98			Polo Van	90->94
		A6 Quattro	94->97			Vento 1,4i- 1,6i- 1,8i	92->
		A8 2,5i 24V- 2,8i- 30V	94->98			Vento 1,9TD	92->
		A8 Quattro	94->97			Vento 2,0iGT-2,8iVR6	92->
		Cabriolet	91->98			Caddy	82->92
		Coupé	88->96			Scirocco	85->92
		Coupé Quattro	88->96			Derby	83->92
		S4 Quattro	97->			Rabbit	83->92
		S4 Avant Quattro	97->			Golf Van 1,6 D	84->91
		S6 Quattro	94->97			Transporter 1,9	82->85
		S6 Avant Quattro	94->97			Type 2 1,6 D	83->84

F17607



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/82-97/87°C	

SUITABLE


VOLKSWAGEN 251959481C
251959481D

VOLKSWAGEN

Syncro **86->90**
 Transporter 1,9 **84->90**
 Transporter 2,1 Digifant **86->90**
 Transporter 1,6 D **84->87**
 Transporter 1,7 D **85->90**
 Transporter 1,6 TD **84->90**
 Type 2 **84->90**
 Vanagon **86->90"**

F17609




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	97/92-102/97°C	

SUITABLE		FIAT		LANCIA	
FIAT	7558930	126 Bis	87->	Y10 1,3ie GT	89->

F17611




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	88/83-92/87°C	

SUITABLE		ALFA ROMEO		FIAT		LANCIA	
ALFA ROMEO	60565842	Alfa 155 1,9 TD	93->	Croma 1,9 TD	87->90	Dedra 1,9 TDS	89->93
	60593573	Alfa 164 2,0i Turbo V6	87->92	Croma 2,0 ie automatic	85->92	Delta 1,9 TDS	86->90
FIAT	7576327	Alfa 164 2,5 TD	92->	Panda 1,3 D . Van	86->93	Delta 2,0i 16V. Turbo . HF	87->94
	7695951			Panda 1,1i 4X4	91->	Delta 4WD 8V . 16V	88->94
				Tipo 1,7 DS. DS DGT	88->93	Prisma 1,9 D . TD	86->89
				Tipo 1,9 DS . TDS	89->93	Thema 2,0i 16V	88->92
						Thema 2,8i V6 . 3,0i V6	84->92

F17612




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87-97/92°C	

SUITABLE		CITROEN		PEUGEOT	
CITROEN	91517674	BX 19 GTI 16V	88->93	205 1,6 GTI	87->89
	96019305	BX 17 D	86->93	205 D	83->87
PEUGEOT	1264.18	BX 19 D	89->93	305 1,9 GTX	85->88
		BX TRD TD	89->93	305 D 1,7 . 1,9	84->88
		C 15 E	87->88	309 1,6 . 1,9	87->90
		C 15 D	90->92	309 D 1,7 . 1,9	87->90
		Visa D	88->89	405	87->90
				405 1,9 TD	88->90
				505 GTI . STI . Inj.	87->88

F17613




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	97/87-100/95°C	

SUITABLE		PEUGEOT			
PEUGEOT	1264.22	205 1,6	84->90	405 1,6 . 1,9	87->90
RENAULT	6001008060	205 1,7 D	84->90	405 1,7 D . 1,9 D . 1,9 TD	
		205 Rallye	88->90	87->90	
		309 1,1 . 1,3 . 1,6 . 1,9	86->90	505 GTI . STI . Inj.	79->90
		309 1,7 D . 1,9 D	88->90	505 GLD . GRD . SRD	87->90

F17614




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/82-95/80°C	

SUITABLE		RENAULT			
RENAULT	7700777683	Alpine 2,5i Turbo	85->	Master T 35 D	89->90
	7700777883	Alpine 2,8i V6 GT	85->	Master D . TD	89->
ELTH	268031	Espace 2,0 . 2,0i . 2,2i	87->	R 21 2,0 . 2,2	->87
		Espace 2,0 TD . 2,1 TD	87->	R 21 GTD . TD . TDX	86->87
		Master T 30 D	90->	R 21 air cond.	86->89
				R25 air cond.	87->92

F17616




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	95/90-100/95°C	

SUITABLE		VOLVO	
VOLVO	34489161	440 1,7 . 1,7i . 1,7i Turbo	88->
	34512160	460 1,7 . 1,7i . 1,7i Turbo	88->
ELTH	2680053		

F17620




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	82/77-87/82°C	

SUITABLE
ALFA ROMEO 60533503

ALFA ROMEO
 33 1,8 TD **86->90**
 33 1,8 TD intercooler **90->95**

F17622



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	87/82-92/87°C	

SUITABLE		ALFA ROMEO		FIAT		LANCIA	
ALFA ROMEO	46478033	145 1,3IE-1,6IE-1,7IE-1,9	94->	Fiorino 1,7D-1,7TD	93->	Dedra 1,9 TDS . ECO	89->94
	60813763	146 1,3IE-1,6IE-1,7i 16V	94->	Panda 1,1ie	95->		
FIAT	46478033	146 1,9 - 1,9TD	94->	Tempra 1,9 DS	90->93		
	7642522			Tempra 1,9 D Marengo	90->93		
ELTH	268052			Tempra 1,9 DS S	93->		
		CITROEN		Tempra 1,9 DS SX	90->		
		Jumper 1,9 D . TD	94->	Tempra 1,9 TDS	90->93		
		Jumper 2,5 D . TD	94->	Tempra 1,9 TDS S . ECO	93->		
				Tempra 1,9 TDS SX . ECO	90->		
				Tipo 1,7 DS S	93->		
				Tipo 1,9 DS ECO SX	93->		
				Tipo 1,9 TDS . ECO SX	93->		

F17623




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87-97/92°C	⚙️⚙️

SUITABLE	ALFA ROMEO	FIAT	INNOCENTI
ALFA ROMEO	145 2,0i 16V 95->	Coupé 1,8i-2,0i 16V 94->	Elba 1,4i- 1,5i- 1,6i 92->
60813343	146 2,0i 16V 94->	Coupé 2,0i 20V 96->	Mille 1,0i - Clip 93->
FIAT	155 1,6i TwinSpark 96->97	Palio 75 1,2i- Weekend 97->	LANCIA
46477717	155 1,8i Twin Spark 96->97	Palio 0,9i 98->	Dedra 1,6ie- 1,6ie 16V 94->99
50005994	155 2,0i 16V 95->97	Palio 1,4iEL 97->	Dedra 1,8ie - 1,8ie 16V 89->99
7655732	Gtv 1,8i 16V 97->	Palio 100 1,6i 16V 97->	Dedra 2,0ie - 2,0ie16V 89->99
	Gtv 2,0i 16V - turbo 95->	Palio 1,4iEL Weekend 97->	Dedra 2,0ie Super-Turbo 89->94
	Gtv 3,0i 24V 96->	Palio 70 TD Weekend 97->	Delta 1,4ie-1,6ie-1,6ie16V 93->
	Spider 2,0i 16V-3,0i 12V 95->	Siena 1,2i- 1,2iEL 98->	Delta 1,8ie-1,8ie 16V 93->
		Siena 1,4iEL 97->	Delta 2,0ie 16V- 2,0 turbo 93->96
		Siena 1,7D-TD 98->	Delta HPE 93->
		Siena 100 16V 97->	Y10 1,1- 1,3ie 93->95
		Tempra 1,4- 1,4ie- 1,6 90->96	
		Tempra 1,6ie- 1,6SX 91->	
		Tempra 2,0ie 90->	
		Tipo 1.1 Fire 88->92	
		Tipo 1,1ie S 94->95	
		Tipo 1,4- 1,4ie- 1,6-1,6ie 88->95	
		Tipo 1,6ie-1,8ie 90->95	
		Tipo 1,8ie GT -SX 92->95	
		Tipo 2,0ie- 2,0ie16V 90->95	
		Tipo 2,0ie DGT-SLX 90->95	
		Uno 60 . 70 . 75 89->94	
		Uno1,4- 1,4 Super 89->94	
		Fiorino 1,4i . 1,6i 93->	

F17624




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	100/90-110/95°C	

SUITABLE		FORD	
FORD	6154134	Escort RS	90->91
	7001605	Escort XR3i	90->
	87BB-8B607-AA	Escort 1,4i . 1,6i	90->91
	87BB-8B607-AB	Escort 2,0	89->
		Fiesta Turbo	90->
		Fiesta XR2i	90->
		Fiesta 1,4i	90->
		Granada 2,0 . 2,0 EFi	89->
		Orion 1,4i	90->91
		Orion 1,6i	90->
		Orion 2,0	89->
		Transit	85->

F17625




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	105/100-110/105°C	

SUITABLE		FORD	
FORD	6165238 87GB8B607AA	Granada 2,4i V6 Taunus	82->88
		Granada 2,9i V6 Taunus	82->88

F17626



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	87/76-93/82°C	


SUITABLE


VOLKSWAGEN 251959481K

VOLKSWAGEN

Transporter 1,8	91->92
Transporter 1,9 D	90->94
Transporter 1,9 TD	92->94
Transporter 2,0i	90->94
Transporter 2,5i	90->

F17627




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87-105/100°C	

SUITABLE		SAAB	
SAAB	4086682	9000 2,0i . turbo	86->90
	9567967	9000 2,0i 16V . turbo	90->
		9000 2,3i 16V . turbo	90->

F17628



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/82-97/82°C	

SUITABLE
RENAULT 7700798264

RENAULT
 R21 TL . GTL **89->94**
 R21 RS . GTS **89->94**
 R21 TX . GTX . TXE . RX **89->91**
 R21 SD . GSD **89->94**
 Safrane 2,0i SI . 2,2i SI **92->**
 Safrane 3,0 V6 **92->**
 Safrane 2,5 TD **92->**

F17629




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87-97/92°C	

SUITABLE		CITROEN		FIAT		PEUGEOT	
CITROEN	95638684	AX GTI air cond.	91->	Scudo 1,9 D -TD	95->	106 air cond.	91->
FIAT	9563868480	BX 1,7 D - 1,9 D	87->93	Ulysse 1,9 TD - 2,1 12V	94->	205 all models	83->94
	9629976880	Evasion 1,9TD - 2,1TD	94->	LANCIA		306 1,8 XA -1,9-1,9 XA	93->
PEUGEOT	1264.24	Jumpy 1,9D - TD	95->	Zeta 2,1 12V	96->	309 1,1-1,3i-1,4i-1,6i	85->93
	1264.36	Xantia 1,9D	93->			309 1,7D - TD - 1,9 D	85->93
	1264.44	Xsara 1,8D-1,9 D-1,9TD	93->			405 1,4-1,4i-1,6-1,6i	87->96
		XM 2,0i turbo air cond.	92->			405 1,8i-1,9-1,9i-2,0i	87->96
		XM D air cond.	89->			405 1,7D-TD - 1,9D-TD	87->96
		XM TD air cond.	90->			406 1,9	96->99
		ZX 1,4-1,6i-1,8i-1,9i-2,0i	91->			605 2.0-2,0i-2.1 12V	89->
		ZX 1,9 D -TD	91->			806 1,9 - 2,1 12V	95->
						Expert 1,9 - 1,9TD	95->

F17630




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	85/80-87/82°C	

SUITABLE		CITROEN		PEUGEOT	
CITROEN	96085909	Xantia	93->	205	90->93
PEUGEOT	1264.27	XM . 3,0i V6 . 3,0i V6 24v	89->	605	90->
		ZX	91->		

F17634



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	95/84-102/91°C	

SUITABLE
VOLKSWAGEN 191959481C


AUDI	
Coupé all models	91->
80 all models	91->94
90 all models	91->94
100 all models	91->94

SEAT	
Ibiza all models	93->

VOLKSWAGEN	
Caddy	82->
Corrado	82->
Golf all models	91->
Jetta all models	->92
Passat	91->93
Polo	90->
Vento	92->

F17636




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	24	100/95-107/97°C	

SUITABLE
MERCEDES 0065454224

MERCEDES
 E 200 D **94->**
 200 D **87->93**
 200 TD **87->93**

F17638




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	95/90-105/100°C	

SUITABLE	OPEL	VAUXHALL
Connettore colore bianco	Astra 1,8i- 1,8i 16V 91->01	Astra 16V 92->
GENERAL MOTORS 90339409	Astra 1,7 TD 91->99	Astra 1,8i 16V 92->
OPEL 1341026	Astra 2,0i 16V 94->98	Astra 1,7 TD 92->
	Omega 2,0i-2,0i 16V 94->	Calibra Turbo 89->
	Omega 2,5i 24V- 3,0i 24V 94->	
	Omega 2,5TD 94->	
	Vectra 2,0i 16V 92->95	


F17638N



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	105/100-95/90°C	

SUITABLE		OPEL	
GENERAL MOTORS	90355880	Calibra 2,0i 16V	94->97
OPEL	1341039	Frontera 2,0i-2,2i	95->98
	1341044	Vectra 2,0i 16V	94->95

F17641



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	88/83-92/87°C	⚙️⚙️

SUITABLE		CITROEN		FIAT		PEUGEOT	
ALFA ROMEO	60809965	Jumper 1,9 TD	94->02	Brava 1,9D-TD 100	95->02	Boxer 1,9 - 2,5 - 2,5DT	94->
CITROEN	1264.34	Jumper 2,0 HDi	94->02	Bravo 1,9d-TD	95->02		
FIAT	7738581	Jumper 2,5 D -TD	96->02	Ducato 10 D-TD	94->02		
PEUGEOT	1264.34	Jumper 2,8 D -HDi	00->02	Marea 1,9TD 100	96->02		
ELTH	268094.9			Marea 2,4JTD 130	99->02		
				Marea 2,0i - 2,4	96->02		
				Punto 1,4 MPi GT turbo	93->02		
				Punto 1,7D- TD	93->02		
				Punto 1,7 TD SX . ELX	93->02		

F17642




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	92/87-97/92°C	

SUITABLE		ALFA ROMEO		FIAT		INNOCENTI	
ALFA ROMEO	60809247	145 2,0i 16V	95->99	Brava 1,4i 12V- 1,6i 16V	95->98	Elba 1,4i . 1,6i . SPI	90->
FIAT	7738582	155 1,6i-1,7i-1,8i	96->97	Brava 75 TD - 100 TD	98->	Mille 1,0i SPI air cond.	94->
PEUGEOT	1264.33	155 2,0i- 2,0i 16V	93->97	Brava 100 16V	98->	LANCIA	
ELTH	268077	155 2,5i Sport-Super	92->96	Bravo 1,4i 12V- 1,6i 16V	95->	Delta air cond.	93->
		155 2,5TD	93->97	Bravo 1,8i 16V- 2,0i 20V	96->	Y 10 air cond.	93->
		CITROEN		Bravo 1,9TD	96->	PEUGEOT	
		Jumper 2,0i air cond.	94->	Marea 1,4i-1,6i-1,8i	96->99	Boxer 2,0i air cond.	94->
				Marea 75 TD - 100 TD	96->		
				Marea 2,0i	96->		
				Marea 100 - 115	99->		
				Punto 55 1,1i	93->96		
				Punto 60 1.2- 1,2i- SX	93->99		
				Punto 75 1,2i	93->96		
				Punto 85 1,2i 16V	96->99		
				Punto 90 1,6i	94->96		
				Punto Cabrio	94->		
				Ducato 10 2,8 TD	98->		
				Ducato 14 2,8 TD	98->		
				Ducato 18 2,8 TD	98->		
				Fiorino air cond.	93->		

F17644



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	90/79-97/86°C	

SUITABLE


ELTH 2680101
VOLKSWAGEN 1H0959481
 252959481C
 252959481D

VOLKSWAGEN

Transporter **84->90**
 Type 2 **84->90**

F17645




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	82/77-87/82°C	

SUITABLE		FIAT	
FIAT	7745216	Ducato 1,9 D . TD	92->94
ELTH	26801009	Ducato 2,5 D . TD	92->94
		Ducato 4X4 2,5 D . TD	92->94
		Talento D 1,9	92->94

F17647




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	87/77-92/82°C	

SUITABLE		OPEL		RENAULT		
GENERAL MOTORS	9161054	Movano 2.8 DTi	98->	Espace	96->	Mégane 1,4i-1,6i-1,9-2,0i 95->
OPEL	4500754			Kangoo 1,9	97->	Safrane 2,0i. 2,2i. 3,0i V6 92->
RENAULT	7700839072			Laguna 1,8i. 2,0i. 3,0i V6	95->	Safrane 2,1 D 92->
ELTH	7701036113					Master 2,5D- 2,8DTi 98->
	2680063.9					

F17649




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	95/90-120/115°C	

SUITABLE	
GENERAL MOTORS	90357304
OPEL	1846326
ELTH	268080

OPEL	
Calibra 2,0i 16V	89->

F17651



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	87/77-92/82°C	

SUITABLE


VOLKSWAGEN 701959481
ELTH 2680103

VOKSWAGEN

Transporter 1,8 **91->92**
 Transporter 2,0i. 2,5i **90->**
 Transporter 1,9 D.TD **92->94**

F17652



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	90/79-97/86°C	


SUITABLE
VOLKSWAGEN 1H0959481C

SEAT
Cordoba **93->99**
Ibiza II **93->99**
Toledo **91->99**

VOKSWAGEN
Corrado **91->**
Golf **92->**
Passat **94->**
Polo **95->**
Vento **92->98**

F17654



Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	81/70-87/76°C	

SUITABLE


ELTH 269106
VOLKSWAGEN 701959481C

VOLKSWAGEN

Transporter 2,4 D **90->94**

F17668




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	105/100-120/115°C	

SUITABLE		OPEL	
GENERAL MOTORS	90482428	Corsa 1,2i. 1,4i. 1,6i	93->
OPEL	1846201	Corsa 1,5 D . TD	93->
ELTH	2680109	Corsa 1,7 D	94->
		VAUXHALL	
		Nova 1,2i. 1,4i. 1,6i	93->
		Nova 1,5 D . TD	93->
		Nova 1,7 D	94->

F17669




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	100/95-110/105 C°	

SUITABLE	
GENERAL MOTORS	90355879
OPEL	1341027

OPEL	
Calibra A 2,5i V6	93->97
Vectra A 1,7D	88->92
Vectra A 2,5CD 4x4	92->95
Vectra 2,5 V6	93->95

F17674




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	100/95-105/100°C	

SUITABLE		OPEL	
GENERAL MOTORS	90506498	Vectra 1,6i . 1,6i 16V	95->
OPEL	1341042	Vectra 1,8i 16V. 2,0i 16V	95->
ELTH	268137	Vectra 2,5i V6 24V	95->
		Vectra 2,0 TDi 16V	95->”

F17680




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	110/105-120/115°C	

SUITABLE		FORD	
FORD	6190785	Escort 1,6i 16V	95->
	7001606	Escort 1,8 D . TD	95->
	89BB8B607AB	Escort 1,8i 16V	95->
	89BB8B607AC	Escort 2,0i 16V Cosworth	95->
		Mondeo 1,8 TD	93->97

F17682




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	CAPPUCCIO ROSSO 95/90-100/95°C	

SUITABLE		FORD	
FORD	6190785	Escort 1,6i 16V	95->
	7001606	Escort 1,8 D . TD	95->
	89BB8B607AB	Escort 1,8i 16V	95->
	89BB8B607AC	Escort 2,0i 16V Cosworth	95->
		Mondeo 1,8 TD	93->97

F17691




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	102/91-95/84°C	

SUITABLE		SEAT		VOLKSWAGEN	
ELTH	2680102	Alhambra	96->	Polo 1,6i . 1,9 D	95->
	268102	Cordoba	92->	Black	
VOLKSWAGEN	1H0959481B	Ibiza	92->		
		Inca	96->		
		Toledo	91->		

F17692




Threading	Wrench	Pressure - Temperature	
Cylindrical M22x1,5	29	95/84-102/91°C	

SUITABLE	AUDI	SEAT	VOLKSWAGEN
VOLKSWAGEN 1J0959481A	A3, 1,6i A3 1,8i A3 1,9 TDi	Leon Toledo II Toledo 2,3i V5 SKODA Fabia Octavia 1,6L . 1,8L . 1,9L	Bora Golf IV
	96->00 97-> 96->01	00-> 99-> 99->01 00-> 97->	98-> 97->

F1780115




Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	29	100/95°C	

SUITABLE

APRILIA 8127441

F178061




Threading	Wrench	Pressure - Temperature	
Cylindrical 1/2x14 BSP	29	95/90°C	

SUITABLE

CONTINENTAL 230079

F178064




Threading	Wrench	Pressure - Temperature	
Cylindrical 1/2x14 BSP	29	102/95°C	

SUITABLE

CONTINENTAL 230080

F178066P



Threading	Wrench	Pressure - Temperature	
Cylindrical M14x1,5	29	95/90°C	

SUITABLE

APRILIA

8112939



technological **d**evelopment **S**ystems

TDS S.p.A.

Via Lando Conti, 23/25 - Z. IND. PIP2 10042 Nichelino (To)

Tel. +39 011 6800127 - +39 011 6800114

commerciale@tds-spa.it • www.tds-spa.it